

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Seattle
5755 8th Street East
Tacoma, WA 98424
Tel: (253)922-2310

TestAmerica Job ID: 580-78604-3

Client Project/Site: Portland Harbor Pre-Remedial Design

For:

AECOM
1111 Third Ave
Suite 1600
Seattle, Washington 98101

Attn: Amy Dahl

M. Elaine Walker

Authorized for release by:
7/31/2018 6:31:34 PM

Elaine Walker, Project Manager II
(253)248-4972
elaine.walker@testamericainc.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:
www.testamericainc.com

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

1

2

3

4

5

6

7

8

9

10

11

12



Table of Contents

Cover Page	1
Table of Contents	2
Case Narrative	3
Definitions	4
Client Sample Results	6
QC Sample Results	11
Chronicle	18
Certification Summary	19
Sample Summary	20
Chain of Custody	21
Receipt Checklists	26
Isotope Dilution Summary	27

Case Narrative

Client: AECOM
Project/Site: Portland Harbor Pre-Remedial Design

TestAmerica Job ID: 580-78604-3

Job ID: 580-78604-3

Laboratory: TestAmerica Seattle

Narrative

CASE NARRATIVE

Client: AECOM

Project: Portland Harbor Pre-Remedial Design

Report Number: 580-78604-3

This case narrative is in the form of an exception report, where only the anomalies related to this report, method specific performance and/or QA/QC issues are discussed. If there are no issues to report, this narrative will include a statement that documents that there are no relevant data issues.

It should be noted that samples with elevated Reporting Limits (RLs) resulting from a dilution may not be able to satisfy customer reporting limits in some cases. Such increases in the RLs are an unavoidable but acceptable consequence of sample dilution that enables quantification of target analytes within the calibration range of the instrument or that reduces the interferences thereby enabling the quantification of target analytes.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT

The samples were received on 7/5/2018 3:00 PM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperatures of the 3 coolers at receipt time were 0.3° C, 0.7° C and 2.2° C.

Client changed sample ID for the RB from RB-VV-180703-1720 should be PDI-RB-VV-180703

This report contains results of the PCB Congeners rinse blank sample only, performed at TestAmerica Knoxville. All other analyses are currently on hold.

Note: All samples which require thermal preservation are considered acceptable if the arrival temperature is within 2C of the required temperature or method specified range. For samples with a specified temperature of 4C, samples with a temperature ranging from just above freezing temperature of water to 6C shall be acceptable. Samples that are hand delivered immediately following collection may not meet these criteria, however they will be deemed acceptable according to NELAC standards, if there is evidence that the chilling process has begun, such as arrival on ice, etc.

PCB CONGENERS

Sample PDI-RB-VV-180703 (580-78604-11) was analyzed for PCB Congeners in accordance with 1668A. The sample was prepared on 07/11/2018 and analyzed on 07/19/2018.

Several analytes were detected in method blank MB 140-21886/6-A at levels that were above the method detection limit but below the reporting limit. The values should be considered estimates, and have been flagged. If the associated sample reported a result above the MDL and/or RL, the result has been flagged.

One ore more Ion abundance ratios are outside criteria for the Isotope Dilution Analytes (IDA) associated with the following samples: (LCS 140-21886/7-A) and (MB 140-21886/6-A).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Definitions/Glossary

Client: AECOM
Project/Site: Portland Harbor Pre-Remedial Design

TestAmerica Job ID: 580-78604-3

Qualifiers

Dioxin

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
q	The reported result is the estimated maximum possible concentration of this analyte, quantitated using the theoretical ion ratio. The measured ion ratio does not meet qualitative identification criteria and indicates a possible interference.
C93	The compound co-eluted with PCB-93
C90	The compound co-eluted with PCB-90
C98	The compound co-eluted with PCB-98
C	The compound co-eluted with other compounds
C86	The compound co-eluted with PCB-86
B	Compound was found in the blank and sample.
C110	The compound co-eluted with PCB-110
C85	The compound co-eluted with PCB-85
C108	The compound co-eluted with PCB-108
C12	The compound co-eluted with PCB-12
C129	The compound co-eluted with PCB-129
C139	The compound co-eluted with PCB-139
C134	The compound co-eluted with PCB-134
C147	The compound co-eluted with PCB-147
C135	The compound co-eluted with PCB-135
C156	The compound co-eluted with PCB-156
C128	The compound co-eluted with PCB-128
C153	The compound co-eluted with PCB-153
C171	The compound co-eluted with PCB-171
C183	The compound co-eluted with PCB-183
C180	The compound co-eluted with PCB-180
C198	The compound co-eluted with PCB-198
C20	The compound co-eluted with PCB-20
C26	The compound co-eluted with PCB-26
C18	The compound co-eluted with PCB-18
C21	The compound co-eluted with PCB-21
C40	The compound co-eluted with PCB-40
C44	The compound co-eluted with PCB-44
C45	The compound co-eluted with PCB-45
C50	The compound co-eluted with PCB-50
C59	The compound co-eluted with PCB-59
C49	The compound co-eluted with PCB-49
C61	The compound co-eluted with PCB-61
C43	The compound co-eluted with PCB-43
C88	The compound co-eluted with PCB-88
C83	The compound co-eluted with PCB-83

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample

TestAmerica Seattle

Definitions/Glossary

Client: AECOM
Project/Site: Portland Harbor Pre-Remedial Design

TestAmerica Job ID: 580-78604-3

Glossary (Continued)

Abbreviation	These commonly used abbreviations may or may not be present in this report.
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Client Sample Results

Client: AECOM
 Project/Site: Portland Harbor Pre-Remedial Design

TestAmerica Job ID: 580-78604-3

Client Sample ID: PDI-RB-VV-180703

Lab Sample ID: 580-78604-11

Date Collected: 07/03/18 17:20

Matrix: Water

Date Received: 07/05/18 14:59

Method: 1668A - Chlorinated Biphenyl Congeners (HRGC/HRMS)

Analyte	Result	Qualifier	RL	EDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-1	0.0033	J q	0.038	0.00043	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-2	ND		0.038	0.00048	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-3	0.0050	J B	0.038	0.00051	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-4	0.021	J	0.058	0.0096	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-5	ND		0.038	0.0077	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-6	ND		0.038	0.0068	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-7	ND		0.038	0.0070	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-8	0.029	J	0.058	0.0063	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-9	ND		0.038	0.0072	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-10	ND		0.038	0.0076	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-11	0.019	J B	0.058	0.0067	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-12	ND	C	0.077	0.0069	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-13	ND	C12	0.077	0.0069	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-14	ND		0.038	0.0059	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-15	0.015	J q	0.038	0.0073	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-16	0.014	J q	0.038	0.0015	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-17	0.011	J	0.038	0.0013	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-18	0.022	J C	0.077	0.0011	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-19	0.0032	J q	0.038	0.0016	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-20	0.022	J C B	0.077	0.0012	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-21	0.013	J C	0.077	0.0012	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-22	0.013	J	0.038	0.0012	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-23	ND		0.038	0.0012	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-24	ND		0.038	0.0011	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-25	0.0021	J q	0.038	0.0011	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-26	0.0039	J C	0.077	0.0012	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-27	ND		0.038	0.00095	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-28	0.022	J C20 B	0.077	0.0012	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-29	0.0039	J C26	0.077	0.0012	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-30	0.022	J C18	0.077	0.0011	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-31	0.0077	J B	0.038	0.0012	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-32	0.0081	J B	0.038	0.00091	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-33	0.013	J C21	0.077	0.0012	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-34	ND		0.038	0.0013	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-35	ND		0.038	0.0012	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-36	ND		0.038	0.0012	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-37	0.0046	J q	0.038	0.0012	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-38	ND		0.038	0.0013	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-39	ND		0.038	0.0011	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-40	0.0069	J q C B	0.12	0.0021	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-41	0.0069	J q C40 B	0.12	0.0021	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-42	ND		0.038	0.0021	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-43	ND	C	0.077	0.0020	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-44	0.017	J C B	0.12	0.0019	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-45	ND	C	0.077	0.0022	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-46	ND		0.038	0.0027	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-47	0.017	J C44 B	0.12	0.0019	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-48	ND		0.038	0.0021	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-49	0.0046	J q C	0.077	0.0017	ng/L		07/11/18 14:21	07/19/18 15:43	1

TestAmerica Seattle

Client Sample Results

Client: AECOM
Project/Site: Portland Harbor Pre-Remedial Design

TestAmerica Job ID: 580-78604-3

Client Sample ID: PDI-RB-VV-180703

Lab Sample ID: 580-78604-11

Date Collected: 07/03/18 17:20

Matrix: Water

Date Received: 07/05/18 14:59

Method: 1668A - Chlorinated Biphenyl Congeners (HRGC/HRMS) (Continued)

Analyte	Result	Qualifier	RL	EDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-50	ND	C	0.077	0.0021	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-51	ND	C45	0.077	0.0022	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-52	0.010	J q B	0.038	0.0021	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-53	ND	C50	0.077	0.0021	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-54	ND		0.038	0.00046	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-55	ND		0.038	0.0015	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-56	ND		0.038	0.0015	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-57	ND		0.038	0.0016	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-58	ND		0.038	0.0016	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-59	ND	C	0.12	0.0015	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-60	0.0032	J B	0.038	0.0016	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-61	0.0081	J q C B	0.15	0.0015	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-62	ND	C59	0.12	0.0015	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-63	ND		0.038	0.0014	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-64	0.0048	J	0.038	0.0014	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-65	0.017	J C44 B	0.12	0.0019	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-66	0.0055	J B	0.038	0.0015	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-67	ND		0.038	0.0014	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-68	ND		0.038	0.0014	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-69	0.0046	J q C49	0.077	0.0017	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-70	0.0081	J q C61 B	0.15	0.0015	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-71	0.0069	J q C40 B	0.12	0.0021	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-72	ND		0.038	0.0015	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-73	ND	C43	0.077	0.0020	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-74	0.0081	J q C61 B	0.15	0.0015	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-75	ND	C59	0.12	0.0015	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-76	0.0081	J q C61 B	0.15	0.0015	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-77	ND		0.038	0.0015	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-78	ND		0.038	0.0016	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-79	ND		0.038	0.0014	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-80	ND		0.038	0.0014	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-81	ND		0.038	0.0014	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-82	ND		0.038	0.00041	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-83	ND	C	0.077	0.00037	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-84	ND		0.038	0.00041	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-85	ND	C	0.12	0.00030	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-86	0.0014	J q C	0.23	0.00031	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-87	0.0014	J q C86	0.23	0.00031	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-88	ND	C	0.077	0.00037	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-89	ND		0.038	0.00040	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-90	0.0053	J q C	0.12	0.00031	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-91	ND	C88	0.077	0.00037	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-92	ND		0.038	0.00035	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-93	ND	C	0.077	0.00036	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-94	ND		0.038	0.00040	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-95	0.0023	J	0.038	0.00039	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-96	ND		0.038	0.00030	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-97	0.0014	J q C86	0.23	0.00031	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-98	ND	C	0.077	0.00034	ng/L		07/11/18 14:21	07/19/18 15:43	1

TestAmerica Seattle

Client Sample Results

Client: AECOM
Project/Site: Portland Harbor Pre-Remedial Design

TestAmerica Job ID: 580-78604-3

Client Sample ID: PDI-RB-VV-180703

Lab Sample ID: 580-78604-11

Date Collected: 07/03/18 17:20

Matrix: Water

Date Received: 07/05/18 14:59

Method: 1668A - Chlorinated Biphenyl Congeners (HRGC/HRMS) (Continued)

Analyte	Result	Qualifier	RL	EDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-99	ND	C83	0.077	0.00037	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-100	ND	C93	0.077	0.00036	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-101	0.0053	J q C90	0.12	0.00031	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-102	ND	C98	0.077	0.00034	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-103	ND		0.038	0.00036	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-104	ND		0.038	0.00027	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-105	ND		0.038	0.00066	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-106	ND		0.038	0.00069	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-107	ND		0.038	0.00074	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-108	ND	C	0.077	0.00071	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-109	0.0014	J q C86	0.23	0.00031	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-110	0.0071	J q C B	0.077	0.00026	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-111	ND		0.038	0.00025	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-112	ND		0.038	0.00026	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-113	0.0053	J q C90	0.12	0.00031	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-114	ND		0.038	0.00063	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-115	0.0071	J q C110 E	0.077	0.00026	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-116	ND	C85	0.12	0.00030	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-117	ND	C85	0.12	0.00030	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-118	0.0034	J B	0.038	0.00065	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-119	0.0014	J q C86	0.23	0.00031	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-120	ND		0.038	0.00025	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-121	ND		0.038	0.00026	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-122	ND		0.038	0.00080	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-123	ND		0.038	0.00069	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-124	ND	C108	0.077	0.00071	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-125	0.0014	J q C86	0.23	0.00031	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-126	ND		0.038	0.00075	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-127	ND		0.038	0.00069	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-128	ND	C	0.077	0.00029	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-129	0.0038	J C	0.15	0.00030	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-130	ND		0.038	0.00040	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-131	ND		0.038	0.00041	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-132	ND		0.038	0.00039	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-133	ND		0.038	0.00037	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-134	ND	C	0.077	0.00039	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-135	ND	C	0.077	0.00011	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-136	ND		0.038	0.000082	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-137	ND		0.038	0.00034	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-138	0.0038	J C129	0.15	0.00030	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-139	ND	C	0.077	0.00033	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-140	ND	C139	0.077	0.00033	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-141	ND		0.038	0.00035	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-142	ND		0.038	0.00037	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-143	ND	C134	0.077	0.00039	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-144	ND		0.038	0.00010	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-145	ND		0.038	0.000078	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-146	ND		0.038	0.00033	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-147	0.0026	J q C B	0.077	0.00038	ng/L		07/11/18 14:21	07/19/18 15:43	1

TestAmerica Seattle

Client Sample Results

Client: AECOM
Project/Site: Portland Harbor Pre-Remedial Design

TestAmerica Job ID: 580-78604-3

Client Sample ID: PDI-RB-VV-180703

Lab Sample ID: 580-78604-11

Date Collected: 07/03/18 17:20

Matrix: Water

Date Received: 07/05/18 14:59

Method: 1668A - Chlorinated Biphenyl Congeners (HRGC/HRMS) (Continued)

Analyte	Result	Qualifier	RL	EDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-148	ND		0.038	0.00011	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-149	0.0026	J q C147 E	0.077	0.00038	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-150	ND		0.038	0.000074	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-151	ND	C135	0.077	0.00011	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-152	ND		0.038	0.000080	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-153	0.0024	J q C	0.077	0.00026	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-154	ND		0.038	0.000088	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-155	ND		0.038	0.000075	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-156	ND	C	0.077	0.00033	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-157	ND	C156	0.077	0.00033	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-158	ND		0.038	0.00024	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-159	ND		0.038	0.00025	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-160	0.0038	J C129	0.15	0.00030	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-161	ND		0.038	0.00025	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-162	ND		0.038	0.00024	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-163	0.0038	J C129	0.15	0.00030	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-164	ND		0.038	0.00026	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-165	ND		0.038	0.00028	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-166	ND	C128	0.077	0.00029	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-167	ND		0.038	0.00018	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-168	0.0024	J q C153	0.077	0.00026	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-169	ND		0.038	0.00020	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-170	ND		0.038	0.00023	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-171	ND	C	0.077	0.00023	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-172	ND		0.038	0.00023	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-173	ND	C171	0.077	0.00023	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-174	0.0024	J	0.038	0.00022	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-175	ND		0.038	0.00021	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-176	ND		0.038	0.00016	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-177	ND		0.038	0.00022	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-178	ND		0.038	0.00023	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-179	ND		0.038	0.00017	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-180	0.0011	J q C B	0.077	0.00018	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-181	ND		0.038	0.00021	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-182	ND		0.038	0.00020	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-183	ND	C	0.077	0.00021	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-184	ND		0.038	0.00017	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-185	ND	C183	0.077	0.00021	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-186	ND		0.038	0.00017	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-187	ND		0.038	0.00019	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-188	ND		0.038	0.00015	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-189	ND		0.038	0.00034	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-190	ND		0.038	0.00015	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-191	ND		0.038	0.00016	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-192	ND		0.038	0.00018	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-193	0.0011	J q C180 E	0.077	0.00018	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-194	ND		0.038	0.00029	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-195	ND		0.038	0.00032	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-196	ND		0.038	0.00013	ng/L		07/11/18 14:21	07/19/18 15:43	1

TestAmerica Seattle

Client Sample Results

Client: AECOM
 Project/Site: Portland Harbor Pre-Remedial Design

TestAmerica Job ID: 580-78604-3

Client Sample ID: PDI-RB-VV-180703

Lab Sample ID: 580-78604-11

Date Collected: 07/03/18 17:20

Matrix: Water

Date Received: 07/05/18 14:59

Method: 1668A - Chlorinated Biphenyl Congeners (HRGC/HRMS) (Continued)

Analyte	Result	Qualifier	RL	EDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-197	ND		0.038	0.000098	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-198	ND	C	0.077	0.00013	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-199	ND	C198	0.077	0.00013	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-200	ND		0.038	0.000087	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-201	ND		0.038	0.000089	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-202	ND		0.038	0.00010	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-203	ND		0.038	0.00012	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-204	ND		0.038	0.000098	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-205	ND		0.038	0.00025	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-206	ND		0.038	0.0014	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-207	ND		0.038	0.00097	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-208	ND		0.038	0.00096	ng/L		07/11/18 14:21	07/19/18 15:43	1
PCB-209	ND		0.038	0.000061	ng/L		07/11/18 14:21	07/19/18 15:43	1
Isotope Dilution	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
PCB-1L	80		30 - 140				07/11/18 14:21	07/19/18 15:43	1
PCB-3L	81		30 - 140				07/11/18 14:21	07/19/18 15:43	1
PCB-4L	79		30 - 140				07/11/18 14:21	07/19/18 15:43	1
PCB-15L	78		30 - 140				07/11/18 14:21	07/19/18 15:43	1
PCB-19L	88		30 - 140				07/11/18 14:21	07/19/18 15:43	1
PCB-37L	82		30 - 140				07/11/18 14:21	07/19/18 15:43	1
PCB-54L	84		30 - 140				07/11/18 14:21	07/19/18 15:43	1
PCB-77L	74		30 - 140				07/11/18 14:21	07/19/18 15:43	1
PCB-81L	76		30 - 140				07/11/18 14:21	07/19/18 15:43	1
PCB-104L	73		30 - 140				07/11/18 14:21	07/19/18 15:43	1
PCB-105L	83		30 - 140				07/11/18 14:21	07/19/18 15:43	1
PCB-114L	85		30 - 140				07/11/18 14:21	07/19/18 15:43	1
PCB-118L	83		30 - 140				07/11/18 14:21	07/19/18 15:43	1
PCB-123L	83		30 - 140				07/11/18 14:21	07/19/18 15:43	1
PCB-126L	77		30 - 140				07/11/18 14:21	07/19/18 15:43	1
PCB-155L	75		30 - 140				07/11/18 14:21	07/19/18 15:43	1
PCB-156L	89	C	30 - 140				07/11/18 14:21	07/19/18 15:43	1
PCB-157L	89	C156	30 - 140				07/11/18 14:21	07/19/18 15:43	1
PCB-167L	89		30 - 140				07/11/18 14:21	07/19/18 15:43	1
PCB-169L	86		30 - 140				07/11/18 14:21	07/19/18 15:43	1
PCB-170L	77		30 - 140				07/11/18 14:21	07/19/18 15:43	1
PCB-188L	74		30 - 140				07/11/18 14:21	07/19/18 15:43	1
PCB-189L	80		30 - 140				07/11/18 14:21	07/19/18 15:43	1
PCB-202L	93		30 - 140				07/11/18 14:21	07/19/18 15:43	1
PCB-205L	71		30 - 140				07/11/18 14:21	07/19/18 15:43	1
PCB-206L	73		30 - 140				07/11/18 14:21	07/19/18 15:43	1
PCB-208L	80		30 - 140				07/11/18 14:21	07/19/18 15:43	1
PCB-209L	71		30 - 140				07/11/18 14:21	07/19/18 15:43	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
PCB-28L	96		40 - 125				07/11/18 14:21	07/19/18 15:43	1
PCB-111L	90		40 - 125				07/11/18 14:21	07/19/18 15:43	1
PCB-178L	89		40 - 125				07/11/18 14:21	07/19/18 15:43	1

QC Sample Results

Client: AECOM
 Project/Site: Portland Harbor Pre-Remedial Design

TestAmerica Job ID: 580-78604-3

Method: 1668A - Chlorinated Biphenyl Congeners (HRGC/HRMS)

Lab Sample ID: MB 140-21886/6-A
Matrix: Water
Analysis Batch: 22103

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 21886

Analyte	MB Result	MB Qualifier	RL	EDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-1	ND		0.040	0.00037	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-2	0.00290	J q	0.040	0.00040	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-3	0.00424	J	0.040	0.00043	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-4	ND		0.060	0.0095	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-5	ND		0.040	0.0075	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-6	ND		0.040	0.0066	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-7	ND		0.040	0.0067	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-8	ND		0.060	0.0061	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-9	ND		0.040	0.0069	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-10	ND		0.040	0.0073	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-11	0.0235	J	0.060	0.0064	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-12	ND	C	0.080	0.0067	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-13	ND	C12	0.080	0.0067	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-14	ND		0.040	0.0057	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-15	ND		0.040	0.0069	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-16	ND		0.040	0.0014	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-17	ND		0.040	0.0012	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-18	ND	C	0.080	0.0011	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-19	ND		0.040	0.0015	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-20	0.00416	J C q	0.080	0.0013	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-21	ND	C	0.080	0.0013	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-22	ND		0.040	0.0013	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-23	ND		0.040	0.0013	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-24	ND		0.040	0.0010	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-25	ND		0.040	0.0012	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-26	ND	C	0.080	0.0013	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-27	ND		0.040	0.00091	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-28	0.00416	J C20 q	0.080	0.0013	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-29	ND	C26	0.080	0.0013	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-30	ND	C18	0.080	0.0011	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-31	0.00457	J q	0.040	0.0013	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-32	0.00229	J q	0.040	0.00087	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-33	ND	C21	0.080	0.0013	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-34	ND		0.040	0.0014	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-35	ND		0.040	0.0014	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-36	ND		0.040	0.0013	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-37	ND		0.040	0.0013	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-38	ND		0.040	0.0014	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-39	ND		0.040	0.0013	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-40	0.00511	J C	0.12	0.0016	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-41	0.00511	J C40	0.12	0.0016	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-42	ND		0.040	0.0017	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-43	ND	C	0.080	0.0015	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-44	0.00827	J C q	0.12	0.0015	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-45	ND	C	0.080	0.0017	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-46	ND		0.040	0.0021	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-47	0.00827	J C44 q	0.12	0.0015	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-48	ND		0.040	0.0016	ng/L		07/11/18 14:21	07/19/18 13:40	1

TestAmerica Seattle

QC Sample Results

Client: AECOM
 Project/Site: Portland Harbor Pre-Remedial Design

TestAmerica Job ID: 580-78604-3

Method: 1668A - Chlorinated Biphenyl Congeners (HRGC/HRMS) (Continued)

Lab Sample ID: MB 140-21886/6-A
Matrix: Water
Analysis Batch: 22103

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 21886

Analyte	MB	MB	RL	EDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
PCB-49	ND	C	0.080	0.0013	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-50	ND	C	0.080	0.0016	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-51	ND	C45	0.080	0.0017	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-52	0.00518	J q	0.040	0.0016	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-53	ND	C50	0.080	0.0016	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-54	ND		0.040	0.00077	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-55	ND		0.040	0.0012	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-56	ND		0.040	0.0012	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-57	ND		0.040	0.0012	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-58	ND		0.040	0.0012	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-59	ND	C	0.12	0.0012	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-60	0.00359	J	0.040	0.0012	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-61	0.00378	J C q	0.16	0.0011	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-62	ND	C59	0.12	0.0012	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-63	ND		0.040	0.0011	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-64	ND		0.040	0.0011	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-65	0.00827	J C44 q	0.12	0.0015	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-66	0.00599	J	0.040	0.0011	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-67	ND		0.040	0.0011	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-68	ND		0.040	0.0011	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-69	ND	C49	0.080	0.0013	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-70	0.00378	J C61 q	0.16	0.0011	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-71	0.00511	J C40	0.12	0.0016	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-72	ND		0.040	0.0012	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-73	ND	C43	0.080	0.0015	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-74	0.00378	J C61 q	0.16	0.0011	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-75	ND	C59	0.12	0.0012	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-76	0.00378	J C61 q	0.16	0.0011	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-77	ND		0.040	0.0011	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-78	ND		0.040	0.0012	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-79	ND		0.040	0.0011	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-80	ND		0.040	0.0011	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-81	ND		0.040	0.0012	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-82	ND		0.040	0.0014	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-83	ND	C	0.080	0.0013	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-84	ND		0.040	0.0014	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-85	ND	C	0.12	0.0011	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-86	ND	C	0.24	0.0011	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-87	ND	C86	0.24	0.0011	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-88	ND	C	0.080	0.0013	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-89	ND		0.040	0.0014	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-90	ND	C	0.12	0.0011	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-91	ND	C88	0.080	0.0013	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-92	ND		0.040	0.0012	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-93	ND	C	0.080	0.0012	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-94	ND		0.040	0.0014	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-95	ND		0.040	0.0013	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-96	ND		0.040	0.0011	ng/L		07/11/18 14:21	07/19/18 13:40	1

TestAmerica Seattle

QC Sample Results

Client: AECOM
 Project/Site: Portland Harbor Pre-Remedial Design

TestAmerica Job ID: 580-78604-3

Method: 1668A - Chlorinated Biphenyl Congeners (HRGC/HRMS) (Continued)

Lab Sample ID: MB 140-21886/6-A
Matrix: Water
Analysis Batch: 22103

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 21886

Analyte	MB	MB	RL	EDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
PCB-97	ND	C86	0.24	0.0011	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-98	ND	C	0.080	0.0012	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-99	ND	C83	0.080	0.0013	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-100	ND	C93	0.080	0.0012	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-101	ND	C90	0.12	0.0011	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-102	ND	C98	0.080	0.0012	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-103	ND		0.040	0.0012	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-104	ND		0.040	0.00094	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-105	ND		0.040	0.00070	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-106	ND		0.040	0.00077	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-107	ND		0.040	0.00082	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-108	ND	C	0.080	0.00079	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-109	ND	C86	0.24	0.0011	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-110	0.00574	J C q	0.080	0.00090	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-111	ND		0.040	0.00087	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-112	ND		0.040	0.00092	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-113	ND	C90	0.12	0.0011	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-114	ND		0.040	0.00074	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-115	0.00574	J C110 q	0.080	0.00090	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-116	ND	C85	0.12	0.0011	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-117	ND	C85	0.12	0.0011	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-118	0.00604	J	0.040	0.00071	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-119	ND	C86	0.24	0.0011	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-120	ND		0.040	0.00088	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-121	ND		0.040	0.00091	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-122	ND		0.040	0.00089	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-123	ND		0.040	0.00083	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-124	ND	C108	0.080	0.00079	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-125	ND	C86	0.24	0.0011	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-126	ND		0.040	0.00077	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-127	ND		0.040	0.00076	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-128	ND	C	0.080	0.00043	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-129	ND	C	0.16	0.00044	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-130	0.00227	J	0.040	0.00058	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-131	ND		0.040	0.00060	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-132	ND		0.040	0.00057	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-133	ND		0.040	0.00055	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-134	ND	C	0.080	0.00057	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-135	ND	C	0.080	0.00054	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-136	ND		0.040	0.00039	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-137	ND		0.040	0.00050	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-138	ND	C129	0.16	0.00044	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-139	ND	C	0.080	0.00049	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-140	ND	C139	0.080	0.00049	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-141	ND		0.040	0.00051	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-142	ND		0.040	0.00055	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-143	ND	C134	0.080	0.00057	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-144	ND		0.040	0.00049	ng/L		07/11/18 14:21	07/19/18 13:40	1

TestAmerica Seattle

QC Sample Results

Client: AECOM
 Project/Site: Portland Harbor Pre-Remedial Design

TestAmerica Job ID: 580-78604-3

Method: 1668A - Chlorinated Biphenyl Congeners (HRGC/HRMS) (Continued)

Lab Sample ID: MB 140-21886/6-A
Matrix: Water
Analysis Batch: 22103

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 21886

Analyte	MB Result	MB Qualifier	RL	EDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-145	ND		0.040	0.00037	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-146	ND		0.040	0.00048	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-147	0.00300	J C q	0.080	0.00055	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-148	ND		0.040	0.00052	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-149	0.00300	J C147 q	0.080	0.00055	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-150	ND		0.040	0.00035	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-151	ND	C135	0.080	0.00054	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-152	ND		0.040	0.00038	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-153	ND	C	0.080	0.00038	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-154	ND		0.040	0.00042	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-155	ND		0.040	0.00035	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-156	ND	C	0.080	0.00048	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-157	ND	C156	0.080	0.00048	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-158	ND		0.040	0.00035	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-159	ND		0.040	0.00037	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-160	ND	C129	0.16	0.00044	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-161	ND		0.040	0.00036	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-162	ND		0.040	0.00036	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-163	ND	C129	0.16	0.00044	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-164	ND		0.040	0.00038	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-165	ND		0.040	0.00041	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-166	ND	C128	0.080	0.00043	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-167	ND		0.040	0.00028	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-168	ND	C153	0.080	0.00038	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-169	0.00165	J q	0.040	0.00027	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-170	ND		0.040	0.00083	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-171	ND	C	0.080	0.0010	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-172	ND		0.040	0.0010	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-173	ND	C171	0.080	0.0010	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-174	ND		0.040	0.00093	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-175	ND		0.040	0.00090	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-176	ND		0.040	0.00068	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-177	ND		0.040	0.00096	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-178	ND		0.040	0.00098	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-179	ND		0.040	0.00072	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-180	0.00316	J C q	0.080	0.00076	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-181	ND		0.040	0.00090	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-182	ND		0.040	0.00087	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-183	0.00267	J C q	0.080	0.00088	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-184	ND		0.040	0.00074	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-185	0.00267	J C183 q	0.080	0.00088	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-186	ND		0.040	0.00072	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-187	0.00206	J q	0.040	0.00084	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-188	ND		0.040	0.00076	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-189	0.00212	J q	0.040	0.00045	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-190	ND		0.040	0.00065	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-191	ND		0.040	0.00068	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-192	ND		0.040	0.00076	ng/L		07/11/18 14:21	07/19/18 13:40	1

TestAmerica Seattle

QC Sample Results

Client: AECOM
 Project/Site: Portland Harbor Pre-Remedial Design

TestAmerica Job ID: 580-78604-3

Method: 1668A - Chlorinated Biphenyl Congeners (HRGC/HRMS) (Continued)

Lab Sample ID: MB 140-21886/6-A
Matrix: Water
Analysis Batch: 22103

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 21886

Analyte	MB	MB	RL	EDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
PCB-193	0.00316	J C180 q	0.080	0.00076	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-194	0.00167	J q	0.040	0.00040	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-195	ND		0.040	0.00043	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-196	ND		0.040	0.00032	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-197	ND		0.040	0.00024	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-198	ND	C	0.080	0.00032	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-199	ND	C198	0.080	0.00032	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-200	ND		0.040	0.00022	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-201	ND		0.040	0.00022	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-202	ND		0.040	0.00025	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-203	0.00186	J q	0.040	0.00029	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-204	ND		0.040	0.00024	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-205	0.00504	J	0.040	0.00033	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-206	0.00333	J q	0.040	0.0010	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-207	0.00160	J	0.040	0.00075	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-208	ND		0.040	0.00077	ng/L		07/11/18 14:21	07/19/18 13:40	1
PCB-209	0.00205	J q	0.040	0.000047	ng/L		07/11/18 14:21	07/19/18 13:40	1

Isotope Dilution	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
PCB-1L	58		30 - 140	07/11/18 14:21	07/19/18 13:40	1
PCB-3L	59		30 - 140	07/11/18 14:21	07/19/18 13:40	1
PCB-4L	70		30 - 140	07/11/18 14:21	07/19/18 13:40	1
PCB-15L	73		30 - 140	07/11/18 14:21	07/19/18 13:40	1
PCB-19L	76	q	30 - 140	07/11/18 14:21	07/19/18 13:40	1
PCB-37L	81		30 - 140	07/11/18 14:21	07/19/18 13:40	1
PCB-54L	64		30 - 140	07/11/18 14:21	07/19/18 13:40	1
PCB-77L	77		30 - 140	07/11/18 14:21	07/19/18 13:40	1
PCB-81L	73		30 - 140	07/11/18 14:21	07/19/18 13:40	1
PCB-104L	51		30 - 140	07/11/18 14:21	07/19/18 13:40	1
PCB-105L	86		30 - 140	07/11/18 14:21	07/19/18 13:40	1
PCB-114L	82		30 - 140	07/11/18 14:21	07/19/18 13:40	1
PCB-118L	80		30 - 140	07/11/18 14:21	07/19/18 13:40	1
PCB-123L	77		30 - 140	07/11/18 14:21	07/19/18 13:40	1
PCB-126L	84		30 - 140	07/11/18 14:21	07/19/18 13:40	1
PCB-155L	45		30 - 140	07/11/18 14:21	07/19/18 13:40	1
PCB-156L	85	C	30 - 140	07/11/18 14:21	07/19/18 13:40	1
PCB-157L	85	C156	30 - 140	07/11/18 14:21	07/19/18 13:40	1
PCB-167L	83		30 - 140	07/11/18 14:21	07/19/18 13:40	1
PCB-169L	87		30 - 140	07/11/18 14:21	07/19/18 13:40	1
PCB-170L	80		30 - 140	07/11/18 14:21	07/19/18 13:40	1
PCB-188L	54		30 - 140	07/11/18 14:21	07/19/18 13:40	1
PCB-189L	80		30 - 140	07/11/18 14:21	07/19/18 13:40	1
PCB-202L	80		30 - 140	07/11/18 14:21	07/19/18 13:40	1
PCB-205L	79		30 - 140	07/11/18 14:21	07/19/18 13:40	1
PCB-206L	89		30 - 140	07/11/18 14:21	07/19/18 13:40	1
PCB-208L	91		30 - 140	07/11/18 14:21	07/19/18 13:40	1
PCB-209L	91		30 - 140	07/11/18 14:21	07/19/18 13:40	1

TestAmerica Seattle

QC Sample Results

Client: AECOM
 Project/Site: Portland Harbor Pre-Remedial Design

TestAmerica Job ID: 580-78604-3

Method: 1668A - Chlorinated Biphenyl Congeners (HRGC/HRMS) (Continued)

Lab Sample ID: MB 140-21886/6-A
Matrix: Water
Analysis Batch: 22103

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 21886

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
PCB-28L	101		40 - 125	07/11/18 14:21	07/19/18 13:40	1
PCB-111L	97		40 - 125	07/11/18 14:21	07/19/18 13:40	1
PCB-178L	105		40 - 125	07/11/18 14:21	07/19/18 13:40	1

Lab Sample ID: LCS 140-21886/7-A
Matrix: Water
Analysis Batch: 22103

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 21886

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec.
							Limits
PCB-1	1.00	0.927		ng/L		93	50 - 150
PCB-3	1.00	0.932		ng/L		93	50 - 150
PCB-4	1.00	1.04		ng/L		104	50 - 150
PCB-15	1.00	1.11		ng/L		111	50 - 150
PCB-19	1.00	1.12		ng/L		112	50 - 150
PCB-37	1.00	1.02		ng/L		102	50 - 150
PCB-54	1.00	1.15		ng/L		115	50 - 150
PCB-77	1.00	1.02		ng/L		102	50 - 150
PCB-81	1.00	0.953		ng/L		95	50 - 150
PCB-104	1.00	1.25		ng/L		125	50 - 150
PCB-105	1.00	1.02		ng/L		102	50 - 150
PCB-114	1.00	1.07		ng/L		107	50 - 150
PCB-118	1.00	1.11		ng/L		111	50 - 150
PCB-123	1.00	1.16		ng/L		116	50 - 150
PCB-126	1.00	1.10		ng/L		110	50 - 150
PCB-155	1.00	1.24		ng/L		124	50 - 150
PCB-156	2.00	2.18	C	ng/L		109	50 - 150
PCB-157	2.00	2.18	C156	ng/L		109	50 - 150
PCB-167	1.00	1.08		ng/L		108	50 - 150
PCB-169	1.00	0.960		ng/L		96	50 - 150
PCB-188	1.00	1.16		ng/L		116	50 - 150
PCB-189	1.00	1.05		ng/L		105	50 - 150
PCB-202	1.00	1.03		ng/L		103	50 - 150
PCB-205	1.00	1.14		ng/L		114	50 - 150
PCB-206	1.00	0.950		ng/L		95	50 - 150
PCB-208	1.00	1.04		ng/L		104	50 - 150
PCB-209	1.00	1.00		ng/L		100	50 - 150

Isotope Dilution	LCS LCS		Limits
	%Recovery	Qualifier	
PCB-1L	65		30 - 140
PCB-3L	65		30 - 140
PCB-4L	77		30 - 140
PCB-15L	85		30 - 140
PCB-19L	76	q	30 - 140
PCB-37L	86		30 - 140
PCB-54L	77		30 - 140
PCB-77L	79		30 - 140
PCB-81L	78		30 - 140
PCB-104L	70		30 - 140

TestAmerica Seattle

QC Sample Results

Client: AECOM
 Project/Site: Portland Harbor Pre-Remedial Design

TestAmerica Job ID: 580-78604-3

Method: 1668A - Chlorinated Biphenyl Congeners (HRGC/HRMS) (Continued)

Lab Sample ID: LCS 140-21886/7-A
 Matrix: Water
 Analysis Batch: 22103

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA
 Prep Batch: 21886

<i>Isotope Dilution</i>	<i>LCS LCS</i>		<i>Limits</i>
	<i>%Recovery</i>	<i>Qualifier</i>	
PCB-105L	90		30 - 140
PCB-114L	90		30 - 140
PCB-118L	88		30 - 140
PCB-123L	86		30 - 140
PCB-126L	85		30 - 140
PCB-155L	73		30 - 140
PCB-156L	90	C	30 - 140
PCB-157L	90	C156	30 - 140
PCB-167L	91		30 - 140
PCB-169L	93		30 - 140
PCB-170L	84		30 - 140
PCB-188L	75		30 - 140
PCB-189L	79		30 - 140
PCB-202L	93		30 - 140
PCB-205L	80		30 - 140
PCB-206L	94		30 - 140
PCB-208L	93		30 - 140
PCB-209L	94		30 - 140

<i>Surrogate</i>	<i>LCS LCS</i>		<i>Limits</i>
	<i>%Recovery</i>	<i>Qualifier</i>	
PCB-28L	96		40 - 125
PCB-111L	95		40 - 125
PCB-178L	98		40 - 125

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12

Lab Chronicle

Client: AECOM
Project/Site: Portland Harbor Pre-Remedial Design

TestAmerica Job ID: 580-78604-3

Client Sample ID: PDI-RB-VV-180703

Lab Sample ID: 580-78604-11

Date Collected: 07/03/18 17:20

Matrix: Water

Date Received: 07/05/18 14:59

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	HRMS-Sepf			21886	07/11/18 14:21	SMA	TAL KNX
Total/NA	Analysis	1668A		1	22103	07/19/18 15:43	LKM	TAL KNX

Laboratory References:

TAL KNX = TestAmerica Knoxville, 5815 Middlebrook Pike, Knoxville, TN 37921, TEL (865)291-3000

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12

Accreditation/Certification Summary

Client: AECOM

TestAmerica Job ID: 580-78604-3

Project/Site: Portland Harbor Pre-Remedial Design

Laboratory: TestAmerica Seattle

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	EPA Region	Identification Number	Expiration Date
Alaska (UST)	State Program	10	17-024	01-19-19
ANAB	DoD ELAP		L2236	01-19-19
ANAB	ISO/IEC 17025		L2236	01-19-19
California	State Program	9	2901	11-05-18
Montana (UST)	State Program	8	N/A	04-30-20
Oregon	NELAP	10	WA100007	11-05-18
US Fish & Wildlife	Federal		LE058448-0	07-31-19
USDA	Federal		P330-14-00126	02-10-20
Washington	State Program	10	C553	02-17-19

Laboratory: TestAmerica Knoxville

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	EPA Region	Identification Number	Expiration Date
	AFCEE		N/A	
ANAB	DoD ELAP		L2311	02-13-19
Arkansas DEQ	State Program	6	88-0688	06-16-19
California	State Program	9	2423	06-30-19
Colorado	State Program	8	TN00009	02-28-19
Connecticut	State Program	1	PH-0223	09-30-19
Florida	NELAP	4	E87177	06-30-19
Georgia	State Program	4	906	04-13-20
Hawaii	State Program	9	N/A	04-13-19
Kansas	NELAP	7	E-10349	10-31-18
Kentucky (DW)	State Program	4	90101	12-31-18
Louisiana	NELAP	6	83979	06-30-19
Louisiana (DW)	NELAP	6	LA160005	12-31-18
Maryland	State Program	3	277	03-31-19
Michigan	State Program	5	9933	04-13-20
Nevada	State Program	9	TN00009	07-31-19
New Jersey	NELAP	2	TN001	06-30-19
New York	NELAP	2	10781	03-31-19
North Carolina (DW)	State Program	4	21705	07-31-19
North Carolina (WW/SW)	State Program	4	64	12-31-18
Ohio VAP	State Program	5	CL0059	11-22-18
Oklahoma	State Program	6	9415	08-31-18
Oregon	NELAP	10	TNI0189	01-01-19
Pennsylvania	NELAP	3	68-00576	12-31-18
Tennessee	State Program	4	2014	04-13-20
Texas	NELAP	6	T104704380-16-9	08-31-18
US Fish & Wildlife	Federal		LE-058448-0	07-31-19
USDA	Federal		P330-16-00262	08-20-19
Utah	NELAP	8	TN00009	07-31-18 *
Virginia	NELAP	3	460176	09-14-18
Washington	State Program	10	C593	01-19-19
West Virginia (DW)	State Program	3	9955C	12-31-18
West Virginia DEP	State Program	3	345	04-30-19
Wisconsin	State Program	5	998044300	08-31-18

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Sample Summary

Client: AECOM
Project/Site: Portland Harbor Pre-Remedial Design

TestAmerica Job ID: 580-78604-3

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
580-78604-11	PDI-RB-VV-180703	Water	07/03/18 17:20	07/05/18 14:59

1

2

3

4

5

6

7

8

9

10

11

12

580-78604



580-78604 Chain of Custody

TestAmerica-Seattle							SURFACE SEDIMENT CHAIN OF CUSTODY																				
5755-8th-Street-East Tacoma, WA 98424-1317 Ph: 253-922-2310 Fax: 253-922-5047							Project Contact: Amy Dahl / Chelsey Cook Tel: (206) 438-2261 / (206) 438-2010							Site Contact: Jennifer Ray Laboratory Contact: Elaine-Walker							7/5/2018 COC No: 1						
Client Contact							Analysis Turnaround Time							Carrier: Courier							1 of 1 pages						
AECOM 1111 3rd Ave Suite 1600 Seattle, WA 98101 Phone: (206) 438-2700 Fax: 1-(866) 495-5288 Project Name: Portland Harbor Pre-Remedial Design Investigation and Baseline Sampling Portland, OR Project #: 60566335 Study: Surface Sediment Sample Type: D/U							Calendar (C) or Work Days (W) <input type="checkbox"/> 21 days <input checked="" type="checkbox"/> Other _ASAP_ (sediments only)							PCB Congeners 1668A PCDD/Fs 1613B TPH Diesel Metals, Mercury NWTPH-Dx, 6020B, 7471A Grain size ASTM D7928/D6913 Total organic carbon, Total solids 9060 (104C & 70C) Archive Archive -20 C PAHs, BEHP, Tributyltin, 8270-SIM, 8270-LL, Kron/Unger Atterberg Limits ASTM D4318 WQ - PCB Congeners 1668A WQ - PCDD/Fs 1613B TPH Diesel Metals, Mercury NWTPH-Dx, 6020B, 7471A WQ - Total Organic Carbon SM5310B WQ - PAHs 8270-SIM WQ - BEHP EPA 8270D-LL WQ - Tributyltin Kron/Unger							Sample Specific Notes:						
Sample Identification	Sample Date	Sample Time	Matrix	QC Sample	Sampler's Initials	Total No. of Cont.	Fraction	PCB Congeners 1668A	PCDD/Fs 1613B	TPH Diesel Metals, Mercury NWTPH-Dx, 6020B, 7471A	Grain size ASTM D7928/D6913	Total organic carbon, Total solids 9060 (104C & 70C)	Archive Archive -20 C	PAHs, BEHP, Tributyltin, 8270-SIM, 8270-LL, Kron/Unger	Atterberg Limits ASTM D4318	WQ - PCB Congeners 1668A	WQ - PCDD/Fs 1613B	TPH Diesel Metals, Mercury NWTPH-Dx, 6020B, 7471A	WQ - Total Organic Carbon SM5310B	WQ - PAHs 8270-SIM	WQ - BEHP EPA 8270D-LL	WQ - Tributyltin Kron/Unger					
PDI-SG-B458	7/2/2018	11:00	SS		AC	7		H	H	H	x	H	H	H													
PDI-SG-B470	7/2/2018	15:20	SS		AC	8		H	H	H	x	H	H	H	H												
PDI-SG-B469	7/2/2018	16:30	SS		AC	8		H	H	H	x	H	H	H	H												
PDI-SG-B456	7/2/2018	10:19	SS		SH	7		H	H	H	x	H	H	H													
PDI-SG-B462	7/2/2018	11:56	SS		SH	8		H	H	H	x	H	H	H	H												
PDI-SG-B463	7/2/2018	12:58	SS	MS/MSD	SH	14		H	H	H	x	H	H	H	H												
PDI-SG-B464	7/2/2018	14:39	SS		SH	8		H	H	H	x	H	H	H	H												
PDI-SG-B466	7/2/2018	15:34	SS		SH	8		H	H	x*	x*	x*	H	H	H												
PDI-SG-B468	7/2/2018	14:02 14:33	SS		SH	8		H	H	H	x	H	H	H	H												
PDI-SG-B429	7/3/2018	10:15	SS		SH	7		H	H	H	x	H	H	H													
RB-VV-180703-1720	7/3/2018	17:20	W		SH	14										x	x	x	x	x	x	x					

Container Type: WMG=Wide Mouth Glass Jar, P=HDPE, PP=Polypropylene, AG=amber glass, G=glass, RC=Resin Column

Preservative: HCl = Hydrochloric Acid, H3PO4 = Phosphoric Acid, HNO3 = Nitric Acid

Fraction: D = Dissolved, PRT = Particulate, T = Total (unfiltered)

Sample Disposal

Return To Client Disposal By Lab Archive For 12 Months

Special Instructions/QC Requirements & Comments:

Separate reports for each lab.
x* - Analyze for grain size, metals (6020B analytes only), and TOC (9060 @ 104C & 70C) ASAP. Rush TAT for these take precedent over remaining rush grain size analyses requested ASAP.
H - Hold analyses pending further instruction.

0.7, 1.02, 0.3

Relinquished by:	Company: <i>ITCOM</i>	Date/Time: 7/5/18 1234	Received by:	Company: <i>M.E.</i>	Date/Time: 7/5/18 1235
Relinquished by:	Company: <i>M.E.</i>	Date/Time: 7/5/18 1500	Received by:	Company: <i>TAPOR</i>	Date/Time: 7/5/18 1500
Relinquished by:	Company: <i>TAPOR</i>	Date/Time: 7/5/18 1700	Received by:	Company: <i>SFA TO</i>	Date/Time: 7/6/18 0930

= 0.8 / 0.8 w/cs

IR5 = 0.7 / 0.7 w/cs

= -1.9 / -1.9 w/cs



580-78604 Chain of Custody

Revised CSL

580-78604

**SURFACE SEDIMENT
CHAIN OF CUSTODY**

Client Contact
 Client Contact: Jennifer Roy
 Site Contact: Jennifer Roy
 Laboratory Contact: Elaine Walker
 Project Contact: Amy Dahl / Chesley Cook
 Tel: (206) 438-2551 / (206) 438-3010
 Analysis Turnaround Time
 Calendar (C) or Work Days (W)
 21 days
 Other: ASAP (sediments only)

Project Information
 Project #: 60566335 Study: Surface Sediment
 Sample Type: DAU
 Location: 1111 3rd Ave Suite 1600
 Seattle, WA 98101
 Phone: (206) 438-2700 Fax: 1-(866) 495-5288
 Project Name: Portland Harbor Pre-Remedial Design Investigation and Baseline Sampling
 Portland, OR

Sample Date	Sample Time	Matrix	QC Sample	Sampler's Initials	Total No. of Cont.
7/2/2018	11:00	SS	SS	AC	7
7/2/2018	15:20	SS	SS	AC	8
7/2/2018	16:30	SS	SS	AC	8
7/2/2018	10:19	SS	SS	SH	7
7/2/2018	11:36	SS	SS	SH	8
7/2/2018	12:58	SS	MS/MSD	SH	14
7/2/2018	14:39	SS	SS	SH	8
7/2/2018	15:34	SS	SS	SH	8
7/2/2018	14:02/1:13/1:35	SS	SS	SH	8
7/2/2018	10:15	SS	SS	SH	7
7/2/2018	17:20	W	W	SH	14

Container Type: MRG=High Mouth Glass Jar, P=HDPE, PF=Polypropylene, AG=amber glass, G=glass, RC=Resin Column
 Preservative: HCl = Hydrochloric Acid, H3PO4 = Phosphoric Acid, HNO3 = Nitric Acid
 Fraction: D = Dissolved, PRT = Particulate, T = Total (unfiltered)

Special Instructions/QC Requirements & Comments:
 Separate reports for each lab.
 X* Analyze for grain size, metals (6020B analytes only), and TOC (9060 @ 104C & 70C) ASAP. Rush TAT for these take precedent over remaining rush grain size analytes requested ASAP.
 H- Hold analytes pending further instruction.

Relinquished by	Company	Date/Time	Received by	Company	Date/Time
[Signature]	M.E.	7/5/18 12:34	[Signature]	M.E.	7/5/18 12:35
[Signature]	M.E.	7/5/18 15:00	[Signature]	JAPOR	7/5/18 15:00
[Signature]	JAPOR	7/5/18 17:00	[Signature]	SFP TO	7/6/18 09:30

*** * Metals/PC, Solids activated
 * * * Mon hold samples Per Secor
 7/19/18 (FD)
 * * * Retired corrected
 Changed Sample ID - 1720
 Add PDS -
 Add remove (K) Per Nelson
 7/22/18

Carrier Container	Analysis	Method	Result	Notes
WQ - PCB Congeners 168A	WQ - PCB Congeners 168A	WQ - PCB Congeners 168A		
WQ - PCB Congeners 168B	WQ - PCB Congeners 168B	WQ - PCB Congeners 168B		
WQ - PCB Congeners 168C	WQ - PCB Congeners 168C	WQ - PCB Congeners 168C		
WQ - PCB Congeners 168D	WQ - PCB Congeners 168D	WQ - PCB Congeners 168D		
WQ - PCB Congeners 168E	WQ - PCB Congeners 168E	WQ - PCB Congeners 168E		
WQ - PCB Congeners 168F	WQ - PCB Congeners 168F	WQ - PCB Congeners 168F		
WQ - PCB Congeners 168G	WQ - PCB Congeners 168G	WQ - PCB Congeners 168G		
WQ - PCB Congeners 168H	WQ - PCB Congeners 168H	WQ - PCB Congeners 168H		
WQ - PCB Congeners 168I	WQ - PCB Congeners 168I	WQ - PCB Congeners 168I		
WQ - PCB Congeners 168J	WQ - PCB Congeners 168J	WQ - PCB Congeners 168J		
WQ - PCB Congeners 168K	WQ - PCB Congeners 168K	WQ - PCB Congeners 168K		
WQ - PCB Congeners 168L	WQ - PCB Congeners 168L	WQ - PCB Congeners 168L		
WQ - PCB Congeners 168M	WQ - PCB Congeners 168M	WQ - PCB Congeners 168M		
WQ - PCB Congeners 168N	WQ - PCB Congeners 168N	WQ - PCB Congeners 168N		
WQ - PCB Congeners 168O	WQ - PCB Congeners 168O	WQ - PCB Congeners 168O		
WQ - PCB Congeners 168P	WQ - PCB Congeners 168P	WQ - PCB Congeners 168P		
WQ - PCB Congeners 168Q	WQ - PCB Congeners 168Q	WQ - PCB Congeners 168Q		
WQ - PCB Congeners 168R	WQ - PCB Congeners 168R	WQ - PCB Congeners 168R		
WQ - PCB Congeners 168S	WQ - PCB Congeners 168S	WQ - PCB Congeners 168S		
WQ - PCB Congeners 168T	WQ - PCB Congeners 168T	WQ - PCB Congeners 168T		
WQ - PCB Congeners 168U	WQ - PCB Congeners 168U	WQ - PCB Congeners 168U		
WQ - PCB Congeners 168V	WQ - PCB Congeners 168V	WQ - PCB Congeners 168V		
WQ - PCB Congeners 168W	WQ - PCB Congeners 168W	WQ - PCB Congeners 168W		
WQ - PCB Congeners 168X	WQ - PCB Congeners 168X	WQ - PCB Congeners 168X		
WQ - PCB Congeners 168Y	WQ - PCB Congeners 168Y	WQ - PCB Congeners 168Y		
WQ - PCB Congeners 168Z	WQ - PCB Congeners 168Z	WQ - PCB Congeners 168Z		

7/19/18 analysis 7/19/18

0.7, 2.2, 0.3

= 0.8 / 0.8 w/c/s
 IR5 = 0.7 / 0.7 w/c/s
 = -1.9 / -1.9 w/c/s



Chain of Custody Record



580-78604 Chain of Custody

Client Information (Sub Contract Lab)		Lab Piv:	Walker, Elaine M										
Client Contact:		Phone:	E-Mail:										
Shipping/Receiving		elaine.walker@testamerica.com											
Company:		TestAmerica Laboratories, Inc.											
Address:		5815 Middlebrook Pike,											
City:		Knoxville											
State, Zip:		TN, 37921											
Phone:		865-291-3000(Tel) 865-584-4315(Fax)											
Email:		WO #:											
Project Name:		58012120											
Site:		SSOW#:											
Due Date Requested:		7/24/2018											
TAT Requested (days):													
Sample ID	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, O=soil, etc)	Preservation Code (BT=Flask, A=Art)	Field Filtered Sample (Yes or No)	Performance (MSD) (Yes or No)	1668A/1668_P_Sox (MOD) 209 PCBs plus Totals	1668A/1668_Split (MOD) 209 PCBs plus Totals	Screen 1668/Screen_PCB_P_9	1668A/1668_P_Sep (MOD) 209 PCBs plus Totals	Total Number of Containers	Special Instructions/Note:
PDI-SG-B458 (580-78604-1)	7/2/18	11:00 Pacific	Solid	Solid		X	X	X	X	X	X	1	RT: 1.6°C CT: 1.6°C Custody seal intact
PDI-SG-B470 (580-78604-2)	7/2/18	15:20 Pacific	Solid	Solid		X	X	X	X	X	X	1	1 cooler, FedEx PO
PDI-SG-B469 (580-78604-3)	7/2/18	16:30 Pacific	Solid	Solid		X	X	X	X	X	X	1	TA# 4428 0750 3888
PDI-SG-B456 (580-78604-4)	7/2/18	10:19 Pacific	Solid	Solid		X	X	X	X	X	X	1	ALW 77718
PDI-SG-B462 (580-78604-5)	7/2/18	11:56 Pacific	Solid	Solid		X	X	X	X	X	X	1	RC-ND, ALW 77718
PDI-SG-B463 (580-78604-6)	7/2/18	12:58 Pacific	Solid	Solid		X	X	X	X	X	X	1	
PDI-SG-B464 (580-78604-7)	7/2/18	14:39 Pacific	Solid	Solid		X	X	X	X	X	X	1	
PDI-SG-B466 (580-78604-8)	7/2/18	15:34 Pacific	Solid	Solid		X	X	X	X	X	X	1	
PDI-SG-B468 (580-78604-9)	7/2/18	16:33 Pacific	Solid	Solid		X	X	X	X	X	X	1	

Note: Since laboratory accreditations are subject to change, TestAmerica Laboratories, Inc. places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/test/matrix being analyzed, the samples must be shipped back to the TestAmerica laboratory or other instructions will be provided. Any changes to accreditation status should be brought to TestAmerica Laboratories, Inc. attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to TestAmerica Laboratories, Inc.

Possible Hazard Identification

Unconfirmed
 Deliverable Requested: I, II, III, IV, Other (specify) _____ Primary Deliverable Rank: 2
 Empty Kit Relinquished by: _____ Date: _____ Method of Shipment: _____
 Relinquished by: _____ Date/Time: _____ Received by: _____ Date/Time: _____ Company: TA Company
 Relinquished by: _____ Date/Time: _____ Received by: _____ Date/Time: _____ Company: TA Company
 Relinquished by: _____ Date/Time: _____ Received by: _____ Date/Time: _____ Company: TA Company

Custody Seal No.: _____
 Δ Yes Δ No

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
 Return To Client Disposal By Lab Archive For _____ Months
 Special Instructions/QC Requirements:





Chain of Custody Record

Client Information (Sub Contract Lab)
 Client Contact: Walker, Elaine M
 Shipping/Receiving: elaine.walker@testamericainc.com
 Company: TestAmerica Laboratories, Inc.
 Address: 5815 Middlebrook Pike, Knoxville TN, 37921
 Phone: 865-291-3000 (Tel) 865-584-4315 (Fax)
 Email: [Redacted]
 Project Name: Portland Harbor Pre-Remedial Design
 Site: [Redacted]

Sample Information
 Sampler: Walker, Elaine M
 Lab Pkt: [Redacted]
 State of Origin: Oregon
 Carrier Tracking No(s): [Redacted]

Due Date Requested: 7/24/2018
TAT Requested (days): [Redacted]

Sample Date **Sample Time** **Sample Type (C=Comp, G=grab)** **Matrix (W=water, S=solid, O=other)** **Preservation Code (BT=Refr, A=AP)**

Sample ID (Lab ID)	Sample Date	Sample Time	Sample Type	Matrix	Field Filtered Sample (Yes or No)	Performs SP (Yes or No)	1668A/1668_P_Sox (MOD) 209 PCBs plus Totals	1668A/1668_Split (MOD) 209 PCBs plus Totals	Screen_1668/Screen_PCB_P's	1668A/1668_P_Sep (MOD) 209 PCBs plus Totals	Total Number of Containers	Special Instructions/Note:
PDI-SG-B429 (580-78604-10)	7/3/18	10:15 Pacific	Solid	Solid	X		X	X			2	
RB-VV-180703-1720 (580-78604-11)	7/3/18	17:20 Pacific	Water	Water								

Sample Identification - Client ID (Lab ID)

Preservation Codes:
 A - HCL M - Hexane
 B - NaOH N - None
 C - Zn Acetate O - As/NaO2
 D - Nitric Acid P - Na2OAS
 E - NaHSO4 Q - Na2SO3
 F - MeOH R - Na2S2O3
 G - Amchlor S - H2SO4
 H - Ascorbic Acid T - TSP Dodecahydrate
 I - Ice U - Acetone
 J - DI Water V - MCAA
 K - EDTA W - pH 4-5
 L - EDA Z - other (specify)
 Other: [Redacted]

Analysis Requested

Special Instructions/Note:

Note: Since laboratory accreditations are subject to change, TestAmerica Laboratories, Inc. places the ownership of method, analyte & accreditation compliance upon out subcontract laboratories. This sample shipment is forwarded under chain-of-custody.

Possible Hazard Identification
 Unconfirmed
 Deliverable Requested: I, II, III, IV, Other (specify) Primary Deliverable Rank: 2
 Sample Disposal (A fee may be assessed if samples are retained longer than 1 month):
 Return To Client Disposal By Lab Archive For _____ Months
 Special Instructions/QC Requirements:

Empty Kit Relinquished by: [Redacted] Date: [Redacted] Time: [Redacted] Method of Shipment: [Redacted]

Relinquished by: [Redacted] Date/Time: 7/6/18 1050 Company: TAP Company: TA
Relinquished by: [Redacted] Date/Time: Company: Company:
Relinquished by: [Redacted] Date/Time: Company: Company:

Custody Seals Intact: Custody Seal No.:
 Δ Yes Δ No

Ver: 09/20/2016

TESTAMERICA KNOXVILLE SAMPLE RECEIPT/CONDITION UPON RECEIPT ANOMALY CHECKLIST

Review Items	Yes	No	NA	If No, what was the problem?	Comments/Actions Taken
1. Are the shipping containers intact?	/			<input type="checkbox"/> Containers, Broken	
2. Were ambient air containers received intact?			/	<input type="checkbox"/> Checked in lab	
3. The coolers/containers custody seal if present, is it intact?	/			<input type="checkbox"/> Yes <input type="checkbox"/> NA	
4. Is the cooler temperature within limits? (> freezing temp. of water to 6 °C, VOST: 10°C) Thermometer ID: <u>SLC 67</u> Correction factor: <u>0.07</u>	/			<input type="checkbox"/> Cooler Out of Temp, Client Contacted, Proceed/Cancel <input type="checkbox"/> Cooler Out of Temp, Same Day Receipt	
5. Were all of the sample containers received intact?	/			<input type="checkbox"/> Containers, Broken	
6. Were samples received in appropriate containers?	/			<input type="checkbox"/> Containers, Improper; Client Contacted; Proceed/Cancel	
7. Do sample container labels match COC? (IDs, Dates, Times)	/			<input type="checkbox"/> COC & Samples Do Not Match <input type="checkbox"/> COC Incorrect/Incomplete <input type="checkbox"/> COC Not Received	
8. Were all of the samples listed on the COC received?	/			<input type="checkbox"/> Sample Received, Not on COC <input type="checkbox"/> Sample on COC, Not Received	
9. Is the date/time of sample collection noted?	/			<input type="checkbox"/> COC; No Date/Time; Client Contacted	Labeling Verified by: _____ Date: _____
10. Was the sampler identified on the COC?	/		/	<input type="checkbox"/> Sampler Not Listed on COC	pH test strip lot number: _____
11. Is the client and project name/# identified?	/			<input type="checkbox"/> COC Incorrect/Incomplete	
12. Are tests/parameters listed for each sample?	/			<input type="checkbox"/> COC No tests on COC	
13. Is the matrix of the samples noted?	/			<input type="checkbox"/> COC Incorrect/Incomplete	
14. Was COC relinquished? (Signed/Dated/Timed)	/			<input type="checkbox"/> COC Incorrect/Incomplete	Box 16A: pH Preservation Box 18A: Residual Chlorine
15. Were samples received within holding time?	/			<input type="checkbox"/> Holding Time - Receipt	Preservative: _____
16. Were samples received with correct chemical preservative (excluding Encore)?	/		/	<input type="checkbox"/> pH Adjusted, pH Included (See box 16A) <input type="checkbox"/> Incorrect Preservative	Lot Number: _____ Exp Date: _____ Analyst: _____ Date: _____ Time: _____
17. Were VOA samples received without headspace?	/		/	<input type="checkbox"/> Headspace (VOA only)	
18. Did you check for residual chlorine, if necessary? (e.g. 1613B, 1668) Chlorine test strip lot number: <u>71922020104</u>	/			<input type="checkbox"/> Residual Chlorine	
19. For 1613B water samples is pH<9?	/		/	<input type="checkbox"/> If no, lab will adjust	
20. For rad samples was sample activity info. Provided?	/		/	<input type="checkbox"/> Project missing info	

Project #: _____ PM Instructions: _____
 Sample Receiving Associate: [Signature] Date: 7/7/18
 QA026R30.doc, 080916



Login Sample Receipt Checklist

Client: AECOM

Job Number: 580-78604-3

Login Number: 78604

List Number: 1

Creator: O'Connell, Jason I

List Source: TestAmerica Seattle

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Isotope Dilution Summary

Client: AECOM
 Project/Site: Portland Harbor Pre-Remedial Design

TestAmerica Job ID: 580-78604-3

Method: 1668A - Chlorinated Biphenyl Congeners (HRGC/HRMS)

Matrix: Water

Prep Type: Total/NA

Percent Isotope Dilution Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	PCB1L (30-140)	PCB3L (30-140)	PCB4L (30-140)	PCB15L (30-140)	PCB19L (30-140)	PCB37L (30-140)	PCB54L (30-140)	PCB77L (30-140)
580-78604-11	PDI-RB-VV-180703	80	81	79	78	88	82	84	74
LCS 140-21886/7-A	Lab Control Sample	65	65	77	85	76 q	86	77	79
MB 140-21886/6-A	Method Blank	58	59	70	73	76 q	81	64	77

Percent Isotope Dilution Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	PCB81L (30-140)	PCB104L (30-140)	PCB105L (30-140)	P114L (30-140)	PCB118L (30-140)	PCB123L (30-140)	PCB126L (30-140)	PCB155L (30-140)
580-78604-11	PDI-RB-VV-180703	76	73	83	85	83	83	77	75
LCS 140-21886/7-A	Lab Control Sample	78	70	90	90	88	86	85	73
MB 140-21886/6-A	Method Blank	73	51	86	82	80	77	84	45

Percent Isotope Dilution Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	PCB156L (30-140)	PCB157L (30-140)	PCB167L (30-140)	PCB169L (30-140)	PCB170L (30-140)	PCB188L (30-140)	PCB189L (30-140)	PCB202L (30-140)
580-78604-11	PDI-RB-VV-180703	89 C	89 C156	89	86	77	74	80	93
LCS 140-21886/7-A	Lab Control Sample	90 C	90 C156	91	93	84	75	79	93
MB 140-21886/6-A	Method Blank	85 C	85 C156	83	87	80	54	80	80

Percent Isotope Dilution Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	PCB205L (30-140)	PCB206L (30-140)	PCB208L (30-140)	PCB209L (30-140)
580-78604-11	PDI-RB-VV-180703	71	73	80	71
LCS 140-21886/7-A	Lab Control Sample	80	94	93	94
MB 140-21886/6-A	Method Blank	79	89	91	91

Surrogate Legend

- PCB1L = PCB-1L
- PCB3L = PCB-3L
- PCB4L = PCB-4L
- PCB15L = PCB-15L
- PCB19L = PCB-19L
- PCB37L = PCB-37L
- PCB54L = PCB-54L
- PCB77L = PCB-77L
- PCB81L = PCB-81L
- PCB104L = PCB-104L
- PCB105L = PCB-105L
- P114L = PCB-114L
- PCB118L = PCB-118L
- PCB123L = PCB-123L
- PCB126L = PCB-126L
- PCB155L = PCB-155L
- PCB156L = PCB-156L
- PCB157L = PCB-157L
- PCB167L = PCB-167L
- PCB169L = PCB-169L
- PCB170L = PCB-170L
- PCB188L = PCB-188L
- PCB189L = PCB-189L
- PCB202L = PCB-202L
- PCB205L = PCB-205L
- PCB206L = PCB-206L

TestAmerica Seattle

Isotope Dilution Summary

Client: AECOM

Project/Site: Portland Harbor Pre-Remedial Design

TestAmerica Job ID: 580-78604-3

PCB208L = PCB-208L

PCB209L = PCB-209L

1

2

3

4

5

6

7

8

9

10

11

12