

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Seattle
5755 8th Street East
Tacoma, WA 98424
Tel: (253)922-2310

TestAmerica Job ID: 580-79669-3

Client Project/Site: Portland Harbor Pre-Remedial Design

For:

AECOM
1111 Third Ave
Suite 1600
Seattle, Washington 98101

Attn: Amy Dahl

M. Elaine Walker

Authorized for release by:
9/25/2018 9:59:23 AM

Elaine Walker, Project Manager II
(253)248-4972
elaine.walker@testamericainc.com

LINKS

Review your project
results through

TotalAccess

Have a Question?



Visit us at:

www.testamericainc.com

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Case Narrative	3
Definitions	4
Client Sample Results	6
QC Sample Results	21
Chronicle	29
Certification Summary	30
Sample Summary	31
Chain of Custody	32
Receipt Checklists	37
Isotope Dilution Summary	38



Case Narrative

Client: AECOM
Project/Site: Portland Harbor Pre-Remedial Design

TestAmerica Job ID: 580-79669-3

Job ID: 580-79669-3

Laboratory: TestAmerica Seattle

Narrative

CASE NARRATIVE

Client: AECOM

Project: Portland Harbor Pre-Remedial Design

Report Number: 580-79669-3

This case narrative is in the form of an exception report, where only the anomalies related to this report, method specific performance and/or QA/QC issues are discussed. If there are no issues to report, this narrative will include a statement that documents that there are no relevant data issues.

It should be noted that samples with elevated Reporting Limits (RLs) resulting from a dilution may not be able to satisfy customer reporting limits in some cases. Such increases in the RLs are an unavoidable but acceptable consequence of sample dilution that enables quantification of target analytes within the calibration range of the instrument or that reduces the interferences thereby enabling the quantification of target analytes.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT

Three samples were received on 8/17/2018 3:30 PM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 1.7° C.

The following samples were activated for all on hold analyses by the client on 9/11/2018: PDI-SG-B437-D (580-79669-2), and PDI-SG-B438 (580-79669-3).

A sample container was provided to be archived frozen at the TestAmerica Sacramento laboratory pending potential additional analyses.

This report contains results for PCB Congeners by Method 1668A, performed at TestAmerica Knoxville.

Note: All samples which require thermal preservation are considered acceptable if the arrival temperature is within 2C of the required temperature or method specified range. For samples with a specified temperature of 4C, samples with a temperature ranging from just above freezing temperature of water to 6C shall be acceptable. Samples that are hand delivered immediately following collection may not meet these criteria, however they will be deemed acceptable according to NELAC standards, if there is evidence that the chilling process has begun, such as arrival on ice, etc.

POLYCHLORINATED BIPHENYLS CONGENERS (PCBS)

Samples PDI-SG-B437 (580-79669-1), PDI-SG-B437-D (580-79669-2) and PDI-SG-B438 (580-79669-3) were analyzed for polychlorinated biphenyls congeners (PCBs) in accordance with EPA Method 1668A. The samples were prepared on 09/13/2018 and analyzed on 09/24/2018.

Several analytes were detected in method blank MB 140-23571/10-B at levels that were above the method detection limit but below the reporting limit. The values should be considered estimates, and have been flagged. If the associated sample reported a result above the MDL and/or RL, the result has been flagged.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Definitions/Glossary

Client: AECOM

Project/Site: Portland Harbor Pre-Remedial Design

TestAmerica Job ID: 580-79669-3

Qualifiers

Dioxin

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
q	The reported result is the estimated maximum possible concentration of this analyte, quantitated using the theoretical ion ratio. The measured ion ratio does not meet qualitative identification criteria and indicates a possible interference.
C93	The compound co-eluted with PCB-93
C90	The compound co-eluted with PCB-90
C98	The compound co-eluted with PCB-98
C	The compound co-eluted with other compounds
C86	The compound co-eluted with PCB-86
B	Compound was found in the blank and sample.
C110	The compound co-eluted with PCB-110
C85	The compound co-eluted with PCB-85
C108	The compound co-eluted with PCB-108
C12	The compound co-eluted with PCB-12
C129	The compound co-eluted with PCB-129
C139	The compound co-eluted with PCB-139
C134	The compound co-eluted with PCB-134
C147	The compound co-eluted with PCB-147
C135	The compound co-eluted with PCB-135
C156	The compound co-eluted with PCB-156
C128	The compound co-eluted with PCB-128
C153	The compound co-eluted with PCB-153
C171	The compound co-eluted with PCB-171
C183	The compound co-eluted with PCB-183
C180	The compound co-eluted with PCB-180
C198	The compound co-eluted with PCB-198
C20	The compound co-eluted with PCB-20
C26	The compound co-eluted with PCB-26
C18	The compound co-eluted with PCB-18
C21	The compound co-eluted with PCB-21
C40	The compound co-eluted with PCB-40
C44	The compound co-eluted with PCB-44
C45	The compound co-eluted with PCB-45
C50	The compound co-eluted with PCB-50
C59	The compound co-eluted with PCB-59
C49	The compound co-eluted with PCB-49
C61	The compound co-eluted with PCB-61
C43	The compound co-eluted with PCB-43
C88	The compound co-eluted with PCB-88
C83	The compound co-eluted with PCB-83

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
▫	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample

TestAmerica Seattle

Definitions/Glossary

Client: AECOM

Project/Site: Portland Harbor Pre-Remedial Design

TestAmerica Job ID: 580-79669-3

Glossary (Continued)

Abbreviation	These commonly used abbreviations may or may not be present in this report.
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Client Sample Results

Client: AECOM
Project/Site: Portland Harbor Pre-Remedial Design

TestAmerica Job ID: 580-79669-3

Client Sample ID: PDI-SG-B437

Date Collected: 08/16/18 12:45

Date Received: 08/17/18 15:30

Lab Sample ID: 580-79669-1

Matrix: Solid

Percent Solids: 54.3

Method: 1668A - Chlorinated Biphenyl Congeners (HRGC/HRMS)

Analyte	Result	Qualifier	RL	EDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-1	0.0014	J q	0.0092	0.00020	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-2	0.010	B	0.0092	0.00023	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-3	0.0031	J q	0.0092	0.00025	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-4	0.0043	J q	0.018	0.0026	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-5	ND		0.0092	0.0020	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-6	0.0045	J	0.0092	0.0018	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-7	ND		0.0092	0.0018	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-8	0.015	J q	0.018	0.0016	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-9	ND		0.0092	0.0018	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-10	ND		0.0092	0.0020	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-11	0.037	B	0.018	0.0017	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-12	0.0023	J C q	0.018	0.0018	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-13	0.0023	J C12 q	0.018	0.0018	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-14	ND		0.0092	0.0015	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-15	0.016		0.0092	0.0018	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-16	0.010	q	0.0092	0.00024	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-17	0.015		0.0092	0.00021	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-18	0.026	C	0.018	0.00019	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-19	0.0020	J q	0.0092	0.00026	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-20	0.068	C	0.018	0.00075	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-21	0.032	C	0.018	0.00074	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-22	0.016	q	0.0092	0.00077	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-23	ND		0.0092	0.00076	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-24	0.00029	J q	0.0092	0.00018	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-25	0.0054	J	0.0092	0.00069	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-26	0.0088	J C	0.018	0.00074	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-27	0.0023	J	0.0092	0.00016	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-28	0.068	C20	0.018	0.00075	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-29	0.0088	J C26	0.018	0.00074	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-30	0.026	C18	0.018	0.00019	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-31	0.045		0.018	0.00073	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-32	0.011		0.0092	0.00015	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-33	0.032	C21	0.018	0.00074	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-34	ND		0.0092	0.00079	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-35	0.0018	J q	0.0092	0.00077	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-36	ND		0.0092	0.00074	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-37	0.022		0.0092	0.00077	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-38	ND		0.0092	0.00080	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-39	ND		0.0092	0.00072	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-40	0.055	C	0.027	0.00039	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-41	0.055	C40	0.027	0.00039	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-42	0.033		0.0092	0.00039	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-43	0.0024	J C q	0.018	0.00036	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-44	0.14	C B	0.027	0.00034	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-45	0.013	J C	0.018	0.00041	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-46	0.0043	J	0.0092	0.00049	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-47	0.14	B C44	0.027	0.00034	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-48	0.015		0.0092	0.00039	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-49	0.11	C	0.018	0.00032	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1

TestAmerica Seattle

Client Sample Results

Client: AECOM
Project/Site: Portland Harbor Pre-Remedial Design

TestAmerica Job ID: 580-79669-3

Client Sample ID: PDI-SG-B437

Lab Sample ID: 580-79669-1

Date Collected: 08/16/18 12:45

Matrix: Solid

Date Received: 08/17/18 15:30

Percent Solids: 54.3

Method: 1668A - Chlorinated Biphenyl Congeners (HRGC/HRMS) (Continued)

Analyte	Result	Qualifier	RL	EDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-50	0.012	J C	0.018	0.00038	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-51	0.013	J C45	0.018	0.00041	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-52	0.19		0.0092	0.00038	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-53	0.012	J C50	0.018	0.00038	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-54	ND		0.0092	0.0000093	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-55	0.0020	J q	0.0092	0.00028	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-56	0.043		0.0092	0.00028	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-57	ND		0.0092	0.00029	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-58	ND		0.0092	0.00029	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-59	0.0088	J C	0.027	0.00027	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-60	0.014	q	0.0092	0.00029	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-61	0.24	C B	0.037	0.00027	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-62	0.0088	J C59	0.027	0.00027	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-63	0.0058	J q	0.0092	0.00026	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-64	0.051		0.0092	0.00026	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-65	0.14	B C44	0.027	0.00034	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-66	0.15		0.0092	0.00027	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-67	0.0022	J	0.0092	0.00025	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-68	0.0041	J	0.0092	0.00025	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-69	0.11	C49	0.018	0.00032	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-70	0.24	C61 B	0.037	0.00027	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-71	0.055	C40	0.027	0.00039	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-72	0.0034	J	0.0092	0.00028	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-73	0.0024	J C43 q	0.018	0.00036	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-74	0.24	C61 B	0.037	0.00027	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-75	0.0088	J C59	0.027	0.00027	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-76	0.24	C61 B	0.037	0.00027	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-77	0.014		0.0092	0.00028	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-78	ND		0.0092	0.00029	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-79	0.0036	J	0.0092	0.00025	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-80	ND		0.0092	0.00025	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-81	ND		0.0092	0.00026	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-82	0.042		0.0092	0.00047	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-83	0.32	C	0.018	0.00043	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-84	0.10		0.0092	0.00047	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-85	0.071	C	0.027	0.00035	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-86	0.27	C	0.055	0.00035	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-87	0.27	C86	0.055	0.00035	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-88	0.079	C	0.018	0.00042	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-89	ND		0.0092	0.00046	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-90	0.47	C	0.027	0.00035	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-91	0.079	C88	0.018	0.00042	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-92	0.091		0.0092	0.00040	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-93	ND	C	0.018	0.00041	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-94	ND		0.0092	0.00046	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-95	0.35		0.0092	0.00044	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-96	ND		0.0092	0.00035	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-97	0.27	C86	0.055	0.00035	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-98	0.012	J C q	0.018	0.00039	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1

TestAmerica Seattle

Client Sample Results

Client: AECOM
Project/Site: Portland Harbor Pre-Remedial Design

TestAmerica Job ID: 580-79669-3

Client Sample ID: PDI-SG-B437

Lab Sample ID: 580-79669-1

Date Collected: 08/16/18 12:45

Matrix: Solid

Date Received: 08/17/18 15:30

Percent Solids: 54.3

Method: 1668A - Chlorinated Biphenyl Congeners (HRGC/HRMS) (Continued)

Analyte	Result	Qualifier	RL	EDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-99	0.32	C83	0.018	0.00043	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-100	ND	C93	0.018	0.00041	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-101	0.47	C90	0.027	0.00035	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-102	0.012	J C98 q	0.018	0.00039	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-103	0.0082	J q	0.0092	0.00040	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-104	ND		0.0092	0.00031	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-105	0.12		0.0092	0.0015	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-106	ND		0.0092	0.0015	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-107	0.037		0.0092	0.0016	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-108	0.012	J C q	0.018	0.0016	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-109	0.27	C86	0.055	0.00035	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-110	0.52	C	0.018	0.00030	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-111	ND		0.0092	0.00028	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-112	ND		0.0092	0.00030	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-113	0.47	C90	0.027	0.00035	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-114	0.0067	J q	0.0092	0.0014	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-115	0.52	C110	0.018	0.00030	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-116	0.071	C85	0.027	0.00035	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-117	0.071	C85	0.027	0.00035	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-118	0.40		0.0092	0.0014	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-119	0.27	C86	0.055	0.00035	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-120	0.0040	J q	0.0092	0.00029	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-121	ND		0.0092	0.00030	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-122	ND		0.0092	0.0017	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-123	0.0068	J	0.0092	0.0015	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-124	0.012	J q C108	0.018	0.0016	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-125	0.27	C86	0.055	0.00035	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-126	0.0086	J q	0.0092	0.0016	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-127	ND		0.0092	0.0015	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-128	0.099	C	0.018	0.0025	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-129	0.67	C	0.037	0.0026	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-130	0.046		0.0092	0.0034	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-131	0.0063	J q	0.0092	0.0036	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-132	0.21		0.0092	0.0034	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-133	0.013		0.0092	0.0033	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-134	0.036	C q	0.018	0.0034	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-135	0.19	C	0.018	0.00018	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-136	0.076		0.0092	0.00013	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-137	0.026		0.0092	0.0029	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-138	0.67	C129	0.037	0.0026	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-139	0.010	J C q	0.018	0.0029	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-140	0.010	J C139 q	0.018	0.0029	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-141	0.13		0.0092	0.0030	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-142	ND		0.0092	0.0032	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-143	0.036	C134 q	0.018	0.0034	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-144	0.022		0.0092	0.00016	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-145	ND		0.0092	0.00012	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-146	0.12		0.0092	0.0029	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-147	0.63	C	0.018	0.0033	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1

TestAmerica Seattle

Client Sample Results

Client: AECOM
Project/Site: Portland Harbor Pre-Remedial Design

TestAmerica Job ID: 580-79669-3

Client Sample ID: PDI-SG-B437

Lab Sample ID: 580-79669-1

Date Collected: 08/16/18 12:45

Matrix: Solid

Date Received: 08/17/18 15:30

Percent Solids: 54.3

Method: 1668A - Chlorinated Biphenyl Congeners (HRGC/HRMS) (Continued)

Analyte	Result	Qualifier	RL	EDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-148	0.0021	J	0.0092	0.00017	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-149	0.63	C147	0.018	0.0033	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-150	ND		0.0092	0.00012	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-151	0.19	C135	0.018	0.00018	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-152	0.0020	J q	0.0092	0.00013	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-153	0.61	C	0.018	0.0023	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-154	0.013	q	0.0092	0.00014	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-155	ND		0.0092	0.00012	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-156	0.062	C	0.018	0.0029	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-157	0.062	C156	0.018	0.0029	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-158	0.060		0.0092	0.0021	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-159	0.0056	J	0.0092	0.0022	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-160	0.67	C129	0.037	0.0026	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-161	ND		0.0092	0.0022	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-162	0.0025	J q	0.0092	0.0021	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-163	0.67	C129	0.037	0.0026	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-164	0.050		0.0092	0.0023	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-165	ND		0.0092	0.0024	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-166	0.099	C128	0.018	0.0025	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-167	0.021		0.0092	0.0016	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-168	0.61	C153	0.018	0.0023	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-169	0.0036	J q	0.0092	0.0017	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-170	0.19		0.0092	0.000093	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-171	0.052	C	0.018	0.000080	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-172	0.031	q	0.0092	0.000080	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-173	0.052	C171	0.018	0.000080	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-174	0.21		0.0092	0.000075	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-175	0.0088	J	0.0092	0.000072	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-176	0.024		0.0092	0.000055	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-177	0.11		0.0092	0.000077	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-178	0.046		0.0092	0.000078	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-179	0.098		0.0092	0.000058	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-180	0.40	C	0.018	0.000061	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-181	ND		0.0092	0.000072	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-182	0.0030	J	0.0092	0.000070	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-183	0.14	C	0.018	0.000071	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-184	ND		0.0092	0.000059	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-185	0.14	C183	0.018	0.000071	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-186	ND		0.0092	0.000058	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-187	0.28		0.0092	0.000067	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-188	ND		0.0092	0.000048	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-189	0.0051	J	0.0092	0.000093	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-190	0.033		0.0092	0.000052	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-191	0.0050	J q	0.0092	0.000054	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-192	ND		0.0092	0.000061	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-193	0.40	C180	0.018	0.000061	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-194	0.13		0.0092	0.000092	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-195	0.052		0.0092	0.0010	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-196	0.057		0.0092	0.00023	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1

TestAmerica Seattle

Client Sample Results

Client: AECOM
Project/Site: Portland Harbor Pre-Remedial Design

TestAmerica Job ID: 580-79669-3

Client Sample ID: PDI-SG-B437

Lab Sample ID: 580-79669-1

Date Collected: 08/16/18 12:45

Matrix: Solid

Date Received: 08/17/18 15:30

Percent Solids: 54.3

Method: 1668A - Chlorinated Biphenyl Congeners (HRGC/HRMS) (Continued)

Analyte	Result	Qualifier	RL	EDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-197	0.0046	J q	0.0092	0.00018	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-198	0.17	C	0.018	0.00024	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-199	0.17	C198	0.018	0.00024	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-200	0.015	q	0.0092	0.00016	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-201	0.020		0.0092	0.00016	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-202	0.045		0.0092	0.00018	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-203	0.11		0.0092	0.00021	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-204	ND		0.0092	0.00018	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-205	0.0053	J	0.0092	0.00077	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-206	0.13		0.0092	0.00079	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-207	0.014	q	0.0092	0.00044	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-208	0.044		0.0092	0.00040	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1
PCB-209	0.051	q	0.0092	0.000035	ng/g	☼	09/13/18 11:15	09/24/18 03:16	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
PCB-1L	65		30 - 140	09/13/18 11:15	09/24/18 03:16	1
PCB-3L	66		30 - 140	09/13/18 11:15	09/24/18 03:16	1
PCB-4L	85		30 - 140	09/13/18 11:15	09/24/18 03:16	1
PCB-15L	88		30 - 140	09/13/18 11:15	09/24/18 03:16	1
PCB-19L	96		30 - 140	09/13/18 11:15	09/24/18 03:16	1
PCB-37L	101		30 - 140	09/13/18 11:15	09/24/18 03:16	1
PCB-54L	106		30 - 140	09/13/18 11:15	09/24/18 03:16	1
PCB-77L	91		30 - 140	09/13/18 11:15	09/24/18 03:16	1
PCB-81L	93		30 - 140	09/13/18 11:15	09/24/18 03:16	1
PCB-104L	86		30 - 140	09/13/18 11:15	09/24/18 03:16	1
PCB-105L	98		30 - 140	09/13/18 11:15	09/24/18 03:16	1
PCB-114L	98		30 - 140	09/13/18 11:15	09/24/18 03:16	1
PCB-118L	98		30 - 140	09/13/18 11:15	09/24/18 03:16	1
PCB-123L	97		30 - 140	09/13/18 11:15	09/24/18 03:16	1
PCB-126L	91		30 - 140	09/13/18 11:15	09/24/18 03:16	1
PCB-155L	101		30 - 140	09/13/18 11:15	09/24/18 03:16	1
PCB-156L	86	C	30 - 140	09/13/18 11:15	09/24/18 03:16	1
PCB-157L	86	C156	30 - 140	09/13/18 11:15	09/24/18 03:16	1
PCB-167L	91		30 - 140	09/13/18 11:15	09/24/18 03:16	1
PCB-169L	90		30 - 140	09/13/18 11:15	09/24/18 03:16	1
PCB-170L	89		30 - 140	09/13/18 11:15	09/24/18 03:16	1
PCB-188L	106		30 - 140	09/13/18 11:15	09/24/18 03:16	1
PCB-189L	90		30 - 140	09/13/18 11:15	09/24/18 03:16	1
PCB-202L	119		30 - 140	09/13/18 11:15	09/24/18 03:16	1
PCB-205L	75		30 - 140	09/13/18 11:15	09/24/18 03:16	1
PCB-206L	85		30 - 140	09/13/18 11:15	09/24/18 03:16	1
PCB-208L	97		30 - 140	09/13/18 11:15	09/24/18 03:16	1
PCB-209L	84		30 - 140	09/13/18 11:15	09/24/18 03:16	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
PCB-28L	99		40 - 125	09/13/18 11:15	09/24/18 03:16	1
PCB-111L	96		40 - 125	09/13/18 11:15	09/24/18 03:16	1
PCB-178L	111		40 - 125	09/13/18 11:15	09/24/18 03:16	1

TestAmerica Seattle

Client Sample Results

Client: AECOM
Project/Site: Portland Harbor Pre-Remedial Design

TestAmerica Job ID: 580-79669-3

Client Sample ID: PDI-SG-B437-D

Date Collected: 08/16/18 12:45

Date Received: 08/17/18 15:30

Lab Sample ID: 580-79669-2

Matrix: Solid

Percent Solids: 51.8

Method: 1668A - Chlorinated Biphenyl Congeners (HRGC/HRMS)

Analyte	Result	Qualifier	RL	EDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-1	0.0017	J	0.0095	0.00027	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-2	0.0077	J q B	0.0095	0.00030	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-3	0.0022	J q	0.0095	0.00031	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-4	0.0061	J q	0.019	0.0027	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-5	ND		0.0095	0.0021	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-6	0.0043	J	0.0095	0.0019	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-7	ND		0.0095	0.0019	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-8	0.012	J q	0.019	0.0017	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-9	ND		0.0095	0.0020	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-10	ND		0.0095	0.0021	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-11	0.049	B	0.019	0.0018	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-12	0.0038	J q C	0.019	0.0019	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-13	0.0038	J q C12	0.019	0.0019	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-14	ND		0.0095	0.0016	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-15	0.015	q	0.0095	0.0019	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-16	0.011		0.0095	0.00020	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-17	0.017		0.0095	0.00018	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-18	0.026	C	0.019	0.00016	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-19	0.0029	J q	0.0095	0.00022	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-20	0.074	C	0.019	0.00073	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-21	0.034	C	0.019	0.00071	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-22	0.020		0.0095	0.00075	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-23	ND		0.0095	0.00074	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-24	ND		0.0095	0.00015	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-25	0.0057	J q	0.0095	0.00068	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-26	0.010	J q C	0.019	0.00072	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-27	0.0035	J	0.0095	0.00013	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-28	0.074	C20	0.019	0.00073	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-29	0.010	J q C26	0.019	0.00072	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-30	0.026	C18	0.019	0.00016	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-31	0.050		0.019	0.00071	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-32	0.012		0.0095	0.00012	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-33	0.034	C21	0.019	0.00071	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-34	ND		0.0095	0.00077	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-35	0.0024	J q	0.0095	0.00075	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-36	ND		0.0095	0.00072	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-37	0.023	q	0.0095	0.00075	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-38	ND		0.0095	0.00078	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-39	ND		0.0095	0.00070	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-40	0.053	C	0.028	0.00037	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-41	0.053	C40	0.028	0.00037	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-42	0.032		0.0095	0.00037	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-43	0.0034	J q C	0.019	0.00034	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-44	0.15	C B	0.028	0.00032	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-45	0.013	J q C	0.019	0.00039	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-46	0.0045	J	0.0095	0.00047	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-47	0.15	C44 B	0.028	0.00032	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-48	0.016		0.0095	0.00037	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-49	0.12	C	0.019	0.00030	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1

TestAmerica Seattle

Client Sample Results

Client: AECOM
Project/Site: Portland Harbor Pre-Remedial Design

TestAmerica Job ID: 580-79669-3

Client Sample ID: PDI-SG-B437-D

Lab Sample ID: 580-79669-2

Date Collected: 08/16/18 12:45

Matrix: Solid

Date Received: 08/17/18 15:30

Percent Solids: 51.8

Method: 1668A - Chlorinated Biphenyl Congeners (HRGC/HRMS) (Continued)

Analyte	Result	Qualifier	RL	EDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-50	0.013	J C	0.019	0.00036	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-51	0.013	J q C45	0.019	0.00039	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-52	0.20		0.0095	0.00036	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-53	0.013	J C50	0.019	0.00036	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-54	ND		0.0095	0.000012	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-55	0.0044	J	0.0095	0.00027	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-56	0.046		0.0095	0.00027	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-57	ND		0.0095	0.00027	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-58	ND		0.0095	0.00028	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-59	0.0097	J C	0.028	0.00026	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-60	0.016		0.0095	0.00027	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-61	0.27	C B	0.038	0.00026	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-62	0.0097	J C59	0.028	0.00026	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-63	0.0051	J	0.0095	0.00025	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-64	0.054		0.0095	0.00025	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-65	0.15	C44 B	0.028	0.00032	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-66	0.16		0.0095	0.00025	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-67	0.0028	J	0.0095	0.00023	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-68	0.0044	J	0.0095	0.00024	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-69	0.12	C49	0.019	0.00030	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-70	0.27	C61 B	0.038	0.00026	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-71	0.053	C40	0.028	0.00037	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-72	0.0045	J q	0.0095	0.00027	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-73	0.0034	J q C43	0.019	0.00034	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-74	0.27	C61 B	0.038	0.00026	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-75	0.0097	J C59	0.028	0.00026	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-76	0.27	C61 B	0.038	0.00026	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-77	0.016	q	0.0095	0.00026	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-78	ND		0.0095	0.00027	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-79	0.0036	J	0.0095	0.00024	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-80	ND		0.0095	0.00023	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-81	ND		0.0095	0.00025	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-82	0.038	q	0.0095	0.00050	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-83	0.32	C	0.019	0.00046	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-84	0.092	q	0.0095	0.00051	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-85	0.064	C	0.028	0.00037	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-86	0.26	C	0.057	0.00037	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-87	0.26	C86	0.057	0.00037	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-88	0.081	C	0.019	0.00045	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-89	ND		0.0095	0.00049	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-90	0.47	C	0.028	0.00038	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-91	0.081	C88	0.019	0.00045	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-92	0.085		0.0095	0.00043	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-93	0.0074	J C	0.019	0.00043	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-94	ND		0.0095	0.00049	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-95	0.32		0.0095	0.00047	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-96	ND		0.0095	0.00037	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-97	0.26	C86	0.057	0.00037	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-98	0.014	J C	0.019	0.00042	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1

TestAmerica Seattle

Client Sample Results

Client: AECOM
Project/Site: Portland Harbor Pre-Remedial Design

TestAmerica Job ID: 580-79669-3

Client Sample ID: PDI-SG-B437-D

Lab Sample ID: 580-79669-2

Date Collected: 08/16/18 12:45

Matrix: Solid

Date Received: 08/17/18 15:30

Percent Solids: 51.8

Method: 1668A - Chlorinated Biphenyl Congeners (HRGC/HRMS) (Continued)

Analyte	Result	Qualifier	RL	EDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-99	0.32	C83	0.019	0.00046	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-100	0.0074	J C93	0.019	0.00043	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-101	0.47	C90	0.028	0.00038	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-102	0.014	J C98	0.019	0.00042	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-103	0.0083	J q	0.0095	0.00043	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-104	ND		0.0095	0.00033	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-105	0.14		0.0095	0.0015	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-106	ND		0.0095	0.0015	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-107	0.039		0.0095	0.0016	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-108	0.017	J C	0.019	0.0016	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-109	0.26	C86	0.057	0.00037	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-110	0.53	C	0.019	0.00032	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-111	ND		0.0095	0.00031	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-112	ND		0.0095	0.00032	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-113	0.47	C90	0.028	0.00038	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-114	0.0084	J	0.0095	0.0014	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-115	0.53	C110	0.019	0.00032	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-116	0.064	C85	0.028	0.00037	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-117	0.064	C85	0.028	0.00037	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-118	0.44		0.0095	0.0015	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-119	0.26	C86	0.057	0.00037	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-120	0.0031	J q	0.0095	0.00031	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-121	ND		0.0095	0.00032	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-122	0.0074	J	0.0095	0.0018	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-123	0.0095		0.0095	0.0015	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-124	0.017	J C108	0.019	0.0016	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-125	0.26	C86	0.057	0.00037	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-126	ND		0.0095	0.0016	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-127	ND		0.0095	0.0015	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-128	0.096	C	0.019	0.0025	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-129	0.70	C	0.038	0.0026	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-130	0.042		0.0095	0.0034	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-131	0.0092	J	0.0095	0.0036	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-132	0.21		0.0095	0.0033	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-133	0.011		0.0095	0.0032	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-134	0.036	C	0.019	0.0034	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-135	0.20	C	0.019	0.00024	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-136	0.069		0.0095	0.00017	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-137	0.026		0.0095	0.0029	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-138	0.70	C129	0.038	0.0026	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-139	ND	C	0.019	0.0029	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-140	ND	C139	0.019	0.0029	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-141	0.11		0.0095	0.0030	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-142	ND		0.0095	0.0032	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-143	0.036	C134	0.019	0.0034	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-144	0.019		0.0095	0.00022	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-145	ND		0.0095	0.00016	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-146	0.12		0.0095	0.0028	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-147	0.65	C	0.019	0.0033	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1

TestAmerica Seattle

Client Sample Results

Client: AECOM
Project/Site: Portland Harbor Pre-Remedial Design

TestAmerica Job ID: 580-79669-3

Client Sample ID: PDI-SG-B437-D

Lab Sample ID: 580-79669-2

Date Collected: 08/16/18 12:45

Matrix: Solid

Date Received: 08/17/18 15:30

Percent Solids: 51.8

Method: 1668A - Chlorinated Biphenyl Congeners (HRGC/HRMS) (Continued)

Analyte	Result	Qualifier	RL	EDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-148	0.0010	J q	0.0095	0.00023	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-149	0.65	C147	0.019	0.0033	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-150	ND		0.0095	0.00016	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-151	0.20	C135	0.019	0.00024	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-152	ND		0.0095	0.00017	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-153	0.60	C	0.019	0.0023	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-154	0.012		0.0095	0.00019	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-155	ND		0.0095	0.00016	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-156	0.075	C	0.019	0.0028	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-157	0.075	C156	0.019	0.0028	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-158	0.061		0.0095	0.0020	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-159	ND		0.0095	0.0022	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-160	0.70	C129	0.038	0.0026	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-161	ND		0.0095	0.0021	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-162	ND		0.0095	0.0021	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-163	0.70	C129	0.038	0.0026	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-164	0.049		0.0095	0.0023	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-165	ND		0.0095	0.0024	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-166	0.096	C128	0.019	0.0025	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-167	0.025		0.0095	0.0016	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-168	0.60	C153	0.019	0.0023	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-169	ND		0.0095	0.0017	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-170	0.19		0.0095	0.00062	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-171	0.055	C	0.019	0.00053	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-172	0.030		0.0095	0.00052	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-173	0.055	C171	0.019	0.00053	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-174	0.20		0.0095	0.00049	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-175	0.0066	J q	0.0095	0.00048	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-176	0.026		0.0095	0.00036	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-177	0.12		0.0095	0.00051	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-178	0.044		0.0095	0.00052	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-179	0.092		0.0095	0.00038	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-180	0.40	C	0.019	0.00040	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-181	ND		0.0095	0.00047	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-182	ND		0.0095	0.00046	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-183	0.14	C	0.019	0.00047	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-184	ND		0.0095	0.00039	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-185	0.14	C183	0.019	0.00047	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-186	ND		0.0095	0.00038	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-187	0.28		0.0095	0.00044	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-188	ND		0.0095	0.00031	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-189	0.0069	J	0.0095	0.0011	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-190	0.034		0.0095	0.00034	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-191	0.0081	J	0.0095	0.00036	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-192	ND		0.0095	0.00040	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-193	0.40	C180	0.019	0.00040	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-194	0.14		0.0095	0.0011	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-195	0.052		0.0095	0.0013	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-196	0.065		0.0095	0.00028	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1

TestAmerica Seattle

Client Sample Results

Client: AECOM
Project/Site: Portland Harbor Pre-Remedial Design

TestAmerica Job ID: 580-79669-3

Client Sample ID: PDI-SG-B437-D

Lab Sample ID: 580-79669-2

Date Collected: 08/16/18 12:45

Matrix: Solid

Date Received: 08/17/18 15:30

Percent Solids: 51.8

Method: 1668A - Chlorinated Biphenyl Congeners (HRGC/HRMS) (Continued)

Analyte	Result	Qualifier	RL	EDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-197	0.0042	J	0.0095	0.00021	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-198	0.18	C	0.019	0.00028	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-199	0.18	C198	0.019	0.00028	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-200	0.016		0.0095	0.00019	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-201	0.019		0.0095	0.00019	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-202	0.046		0.0095	0.00022	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-203	0.12		0.0095	0.00025	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-204	ND		0.0095	0.00021	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-205	0.0051	J q	0.0095	0.00097	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-206	0.18		0.0095	0.0013	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-207	0.018		0.0095	0.00074	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-208	0.056		0.0095	0.00068	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1
PCB-209	0.066		0.0095	0.000089	ng/g	☼	09/13/18 11:15	09/24/18 04:18	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
PCB-1L	63		30 - 140	09/13/18 11:15	09/24/18 04:18	1
PCB-3L	65		30 - 140	09/13/18 11:15	09/24/18 04:18	1
PCB-4L	82		30 - 140	09/13/18 11:15	09/24/18 04:18	1
PCB-15L	83		30 - 140	09/13/18 11:15	09/24/18 04:18	1
PCB-19L	90		30 - 140	09/13/18 11:15	09/24/18 04:18	1
PCB-37L	93		30 - 140	09/13/18 11:15	09/24/18 04:18	1
PCB-54L	106		30 - 140	09/13/18 11:15	09/24/18 04:18	1
PCB-77L	90		30 - 140	09/13/18 11:15	09/24/18 04:18	1
PCB-81L	89		30 - 140	09/13/18 11:15	09/24/18 04:18	1
PCB-104L	82		30 - 140	09/13/18 11:15	09/24/18 04:18	1
PCB-105L	93		30 - 140	09/13/18 11:15	09/24/18 04:18	1
PCB-114L	92		30 - 140	09/13/18 11:15	09/24/18 04:18	1
PCB-118L	92		30 - 140	09/13/18 11:15	09/24/18 04:18	1
PCB-123L	93		30 - 140	09/13/18 11:15	09/24/18 04:18	1
PCB-126L	84		30 - 140	09/13/18 11:15	09/24/18 04:18	1
PCB-155L	96		30 - 140	09/13/18 11:15	09/24/18 04:18	1
PCB-156L	80	C	30 - 140	09/13/18 11:15	09/24/18 04:18	1
PCB-157L	80	C156	30 - 140	09/13/18 11:15	09/24/18 04:18	1
PCB-167L	88		30 - 140	09/13/18 11:15	09/24/18 04:18	1
PCB-169L	84		30 - 140	09/13/18 11:15	09/24/18 04:18	1
PCB-170L	83		30 - 140	09/13/18 11:15	09/24/18 04:18	1
PCB-188L	101		30 - 140	09/13/18 11:15	09/24/18 04:18	1
PCB-189L	86		30 - 140	09/13/18 11:15	09/24/18 04:18	1
PCB-202L	113		30 - 140	09/13/18 11:15	09/24/18 04:18	1
PCB-205L	74		30 - 140	09/13/18 11:15	09/24/18 04:18	1
PCB-206L	83		30 - 140	09/13/18 11:15	09/24/18 04:18	1
PCB-208L	92		30 - 140	09/13/18 11:15	09/24/18 04:18	1
PCB-209L	81		30 - 140	09/13/18 11:15	09/24/18 04:18	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
PCB-28L	99		40 - 125	09/13/18 11:15	09/24/18 04:18	1
PCB-111L	93		40 - 125	09/13/18 11:15	09/24/18 04:18	1
PCB-178L	106		40 - 125	09/13/18 11:15	09/24/18 04:18	1

TestAmerica Seattle

Client Sample Results

Client: AECOM
Project/Site: Portland Harbor Pre-Remedial Design

TestAmerica Job ID: 580-79669-3

Client Sample ID: PDI-SG-B438

Date Collected: 08/16/18 14:34

Date Received: 08/17/18 15:30

Lab Sample ID: 580-79669-3

Matrix: Solid

Percent Solids: 56.4

Method: 1668A - Chlorinated Biphenyl Congeners (HRGC/HRMS)

Analyte	Result	Qualifier	RL	EDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-1	0.013		0.0086	0.00030	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-2	0.0070	J B q	0.0086	0.00035	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-3	0.011		0.0086	0.00038	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-4	0.020	q	0.017	0.0027	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-5	ND		0.0086	0.0022	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-6	0.017		0.0086	0.0019	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-7	0.0040	J	0.0086	0.0019	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-8	0.057		0.017	0.0018	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-9	0.0038	J q	0.0086	0.0020	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-10	ND		0.0086	0.0021	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-11	0.032	B	0.017	0.0019	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-12	0.010	J C q	0.017	0.0019	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-13	0.010	J C12 q	0.017	0.0019	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-14	ND		0.0086	0.0016	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-15	0.053		0.0086	0.0020	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-16	0.065		0.0086	0.00033	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-17	0.11		0.0086	0.00030	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-18	0.18	C	0.017	0.00026	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-19	0.011	q	0.0086	0.00036	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-20	0.40	C	0.017	0.0013	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-21	0.16	C	0.017	0.0013	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-22	0.088		0.0086	0.0014	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-23	ND		0.0086	0.0014	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-24	ND		0.0086	0.00025	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-25	0.042		0.0086	0.0012	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-26	0.055	C	0.017	0.0013	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-27	0.015		0.0086	0.00022	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-28	0.40	C20	0.017	0.0013	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-29	0.055	C26	0.017	0.0013	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-30	0.18	C18	0.017	0.00026	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-31	0.30		0.017	0.0013	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-32	0.064		0.0086	0.00021	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-33	0.16	C21	0.017	0.0013	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-34	0.0081	J	0.0086	0.0014	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-35	0.0072	J q	0.0086	0.0014	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-36	ND		0.0086	0.0013	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-37	0.094		0.0086	0.0014	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-38	ND		0.0086	0.0014	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-39	0.0073	J q	0.0086	0.0013	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-40	0.32	C	0.026	0.00047	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-41	0.32	C40	0.026	0.00047	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-42	0.19		0.0086	0.00047	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-43	0.024	C	0.017	0.00044	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-44	0.82	C B	0.026	0.00041	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-45	0.094	C	0.017	0.00049	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-46	0.035		0.0086	0.00059	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-47	0.82	B C44	0.026	0.00041	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-48	0.11		0.0086	0.00046	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-49	0.67	C	0.017	0.00038	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1

TestAmerica Seattle

Client Sample Results

Client: AECOM
Project/Site: Portland Harbor Pre-Remedial Design

TestAmerica Job ID: 580-79669-3

Client Sample ID: PDI-SG-B438

Lab Sample ID: 580-79669-3

Date Collected: 08/16/18 14:34

Matrix: Solid

Date Received: 08/17/18 15:30

Percent Solids: 56.4

Method: 1668A - Chlorinated Biphenyl Congeners (HRGC/HRMS) (Continued)

Analyte	Result	Qualifier	RL	EDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-50	0.077	C	0.017	0.00045	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-51	0.094	C45	0.017	0.00049	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-52	1.0		0.0086	0.00046	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-53	0.077	C50	0.017	0.00045	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-54	0.00047	J q	0.0086	0.0000082	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-55	0.011		0.0086	0.00034	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-56	0.27		0.0086	0.00034	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-57	ND		0.0086	0.00034	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-58	0.012	q	0.0086	0.00035	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-59	0.062	C	0.026	0.00033	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-60	0.077		0.0086	0.00035	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-61	1.2	C B	0.034	0.00032	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-62	0.062	C59	0.026	0.00033	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-63	0.028		0.0086	0.00032	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-64	0.25		0.0086	0.00031	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-65	0.82	B C44	0.026	0.00041	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-66	0.73		0.0086	0.00032	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-67	0.012	q	0.0086	0.00030	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-68	0.035		0.0086	0.00030	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-69	0.67	C49	0.017	0.00038	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-70	1.2	C61 B	0.034	0.00032	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-71	0.32	C40	0.026	0.00047	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-72	0.042		0.0086	0.00034	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-73	0.024	C43	0.017	0.00044	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-74	1.2	C61 B	0.034	0.00032	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-75	0.062	C59	0.026	0.00033	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-76	1.2	C61 B	0.034	0.00032	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-77	0.055		0.0086	0.00032	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-78	ND		0.0086	0.00035	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-79	0.019		0.0086	0.00030	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-80	ND		0.0086	0.00030	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-81	ND		0.0086	0.00033	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-82	0.15		0.0086	0.00028	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-83	1.1	C	0.017	0.00026	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-84	0.40		0.0086	0.00029	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-85	0.21	C	0.026	0.00021	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-86	0.84	C	0.052	0.00021	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-87	0.84	C86	0.052	0.00021	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-88	0.29	C	0.017	0.00026	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-89	ND		0.0086	0.00028	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-90	1.6	C	0.026	0.00021	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-91	0.29	C88	0.017	0.00026	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-92	0.35		0.0086	0.00024	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-93	0.036	C q	0.017	0.00024	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-94	ND		0.0086	0.00028	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-95	1.3		0.0086	0.00027	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-96	0.011		0.0086	0.00021	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-97	0.84	C86	0.052	0.00021	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-98	0.056	C	0.017	0.00024	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1

TestAmerica Seattle

Client Sample Results

Client: AECOM
Project/Site: Portland Harbor Pre-Remedial Design

TestAmerica Job ID: 580-79669-3

Client Sample ID: PDI-SG-B438

Lab Sample ID: 580-79669-3

Date Collected: 08/16/18 14:34

Matrix: Solid

Date Received: 08/17/18 15:30

Percent Solids: 56.4

Method: 1668A - Chlorinated Biphenyl Congeners (HRGC/HRMS) (Continued)

Analyte	Result	Qualifier	RL	EDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-99	1.1	C83	0.017	0.00026	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-100	0.036	C93 q	0.017	0.00024	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-101	1.6	C90	0.026	0.00021	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-102	0.056	C98	0.017	0.00024	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-103	0.035	q	0.0086	0.00024	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-104	ND		0.0086	0.00019	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-105	0.34		0.0086	0.0019	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-106	ND		0.0086	0.0020	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-107	0.14		0.0086	0.0021	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-108	0.034	C	0.017	0.0020	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-109	0.84	C86	0.052	0.00021	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-110	1.7	C	0.017	0.00018	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-111	ND		0.0086	0.00017	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-112	ND		0.0086	0.00018	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-113	1.6	C90	0.026	0.00021	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-114	0.017		0.0086	0.0019	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-115	1.7	C110	0.017	0.00018	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-116	0.21	C85	0.026	0.00021	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-117	0.21	C85	0.026	0.00021	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-118	1.1		0.0086	0.0018	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-119	0.84	C86	0.052	0.00021	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-120	0.019		0.0086	0.00017	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-121	ND		0.0086	0.00018	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-122	0.016	q	0.0086	0.0023	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-123	0.019	q	0.0086	0.0020	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-124	0.034	C108	0.017	0.0020	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-125	0.84	C86	0.052	0.00021	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-126	0.0048	J q	0.0086	0.0021	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-127	ND		0.0086	0.0020	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-128	0.27	C	0.017	0.0039	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-129	1.8	C	0.034	0.0040	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-130	0.15		0.0086	0.0053	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-131	0.026		0.0086	0.0055	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-132	0.63		0.0086	0.0051	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-133	0.044		0.0086	0.0050	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-134	0.10	C	0.017	0.0052	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-135	0.65	C	0.017	0.00018	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-136	0.27		0.0086	0.00013	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-137	0.062		0.0086	0.0045	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-138	1.8	C129	0.034	0.0040	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-139	0.031	C	0.017	0.0044	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-140	0.031	C139	0.017	0.0044	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-141	0.29		0.0086	0.0047	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-142	ND		0.0086	0.0050	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-143	0.10	C134	0.017	0.0052	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-144	0.063		0.0086	0.00016	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-145	ND		0.0086	0.00012	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-146	0.42		0.0086	0.0044	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-147	2.0	C	0.017	0.0050	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1

TestAmerica Seattle

Client Sample Results

Client: AECOM
Project/Site: Portland Harbor Pre-Remedial Design

TestAmerica Job ID: 580-79669-3

Client Sample ID: PDI-SG-B438

Lab Sample ID: 580-79669-3

Date Collected: 08/16/18 14:34

Matrix: Solid

Date Received: 08/17/18 15:30

Percent Solids: 56.4

Method: 1668A - Chlorinated Biphenyl Congeners (HRGC/HRMS) (Continued)

Analyte	Result	Qualifier	RL	EDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-148	0.0074	J	0.0086	0.00018	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-149	2.0	C147	0.017	0.0050	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-150	0.0096		0.0086	0.00012	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-151	0.65	C135	0.017	0.00018	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-152	ND		0.0086	0.00013	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-153	1.7	C	0.017	0.0035	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-154	0.055	q	0.0086	0.00014	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-155	ND		0.0086	0.00012	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-156	0.15	C	0.017	0.0052	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-157	0.15	C156	0.017	0.0052	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-158	0.13		0.0086	0.0031	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-159	0.014		0.0086	0.0033	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-160	1.8	C129	0.034	0.0040	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-161	ND		0.0086	0.0033	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-162	ND		0.0086	0.0033	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-163	1.8	C129	0.034	0.0040	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-164	0.13		0.0086	0.0035	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-165	ND		0.0086	0.0038	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-166	0.27	C128	0.017	0.0039	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-167	0.046		0.0086	0.0023	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-168	1.7	C153	0.017	0.0035	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-169	0.0082	J q	0.0086	0.0023	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-170	0.53		0.0086	0.00039	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-171	0.14	C	0.017	0.00036	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-172	0.10		0.0086	0.00036	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-173	0.14	C171	0.017	0.00036	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-174	0.58		0.0086	0.00033	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-175	0.028		0.0086	0.00032	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-176	0.077		0.0086	0.00024	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-177	0.34		0.0086	0.00034	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-178	0.14		0.0086	0.00035	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-179	0.31		0.0086	0.00026	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-180	1.2	C	0.017	0.00027	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-181	ND		0.0086	0.00032	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-182	0.011	q	0.0086	0.00031	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-183	0.39	C	0.017	0.00032	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-184	ND		0.0086	0.00026	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-185	0.39	C183	0.017	0.00032	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-186	ND		0.0086	0.00026	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-187	0.84		0.0086	0.00030	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-188	ND		0.0086	0.00022	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-189	0.017		0.0086	0.0015	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-190	0.089		0.0086	0.00023	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-191	0.021		0.0086	0.00024	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-192	ND		0.0086	0.00027	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-193	1.2	C180	0.017	0.00027	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-194	0.39		0.0086	0.0022	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-195	0.14		0.0086	0.0024	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-196	0.18		0.0086	0.00049	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1

TestAmerica Seattle

Client Sample Results

Client: AECOM
Project/Site: Portland Harbor Pre-Remedial Design

TestAmerica Job ID: 580-79669-3

Client Sample ID: PDI-SG-B438

Lab Sample ID: 580-79669-3

Date Collected: 08/16/18 14:34

Matrix: Solid

Date Received: 08/17/18 15:30

Percent Solids: 56.4

Method: 1668A - Chlorinated Biphenyl Congeners (HRGC/HRMS) (Continued)

Analyte	Result	Qualifier	RL	EDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-197	0.016		0.0086	0.00037	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-198	0.46	C	0.017	0.00049	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-199	0.46	C198	0.017	0.00049	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-200	0.046		0.0086	0.00033	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-201	0.038	q	0.0086	0.00034	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-202	0.087		0.0086	0.00038	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-203	0.25		0.0086	0.00044	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-204	ND		0.0086	0.00037	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-205	0.020		0.0086	0.0019	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-206	0.23		0.0086	0.0010	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-207	0.028		0.0086	0.00069	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-208	0.060		0.0086	0.00069	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1
PCB-209	0.13		0.0086	0.00024	ng/g	☼	09/13/18 11:15	09/24/18 05:19	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
PCB-1L	64		30 - 140	09/13/18 11:15	09/24/18 05:19	1
PCB-3L	65		30 - 140	09/13/18 11:15	09/24/18 05:19	1
PCB-4L	80		30 - 140	09/13/18 11:15	09/24/18 05:19	1
PCB-15L	82		30 - 140	09/13/18 11:15	09/24/18 05:19	1
PCB-19L	91		30 - 140	09/13/18 11:15	09/24/18 05:19	1
PCB-37L	88		30 - 140	09/13/18 11:15	09/24/18 05:19	1
PCB-54L	105		30 - 140	09/13/18 11:15	09/24/18 05:19	1
PCB-77L	86		30 - 140	09/13/18 11:15	09/24/18 05:19	1
PCB-81L	85		30 - 140	09/13/18 11:15	09/24/18 05:19	1
PCB-104L	80		30 - 140	09/13/18 11:15	09/24/18 05:19	1
PCB-105L	89		30 - 140	09/13/18 11:15	09/24/18 05:19	1
PCB-114L	89		30 - 140	09/13/18 11:15	09/24/18 05:19	1
PCB-118L	85		30 - 140	09/13/18 11:15	09/24/18 05:19	1
PCB-123L	84		30 - 140	09/13/18 11:15	09/24/18 05:19	1
PCB-126L	83		30 - 140	09/13/18 11:15	09/24/18 05:19	1
PCB-155L	95		30 - 140	09/13/18 11:15	09/24/18 05:19	1
PCB-156L	80	C	30 - 140	09/13/18 11:15	09/24/18 05:19	1
PCB-157L	80	C156	30 - 140	09/13/18 11:15	09/24/18 05:19	1
PCB-167L	87		30 - 140	09/13/18 11:15	09/24/18 05:19	1
PCB-169L	88		30 - 140	09/13/18 11:15	09/24/18 05:19	1
PCB-170L	84		30 - 140	09/13/18 11:15	09/24/18 05:19	1
PCB-188L	92		30 - 140	09/13/18 11:15	09/24/18 05:19	1
PCB-189L	81		30 - 140	09/13/18 11:15	09/24/18 05:19	1
PCB-202L	109		30 - 140	09/13/18 11:15	09/24/18 05:19	1
PCB-205L	73		30 - 140	09/13/18 11:15	09/24/18 05:19	1
PCB-206L	91		30 - 140	09/13/18 11:15	09/24/18 05:19	1
PCB-208L	95		30 - 140	09/13/18 11:15	09/24/18 05:19	1
PCB-209L	88		30 - 140	09/13/18 11:15	09/24/18 05:19	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
PCB-28L	98		40 - 125	09/13/18 11:15	09/24/18 05:19	1
PCB-111L	97		40 - 125	09/13/18 11:15	09/24/18 05:19	1
PCB-178L	106		40 - 125	09/13/18 11:15	09/24/18 05:19	1

TestAmerica Seattle

QC Sample Results

Client: AECOM
Project/Site: Portland Harbor Pre-Remedial Design

TestAmerica Job ID: 580-79669-3

Method: 1668A - Chlorinated Biphenyl Congeners (HRGC/HRMS)

Lab Sample ID: MB 140-23571/10-B

Matrix: Solid

Analysis Batch: 23839

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 23571

Analyte	MB Result	MB Qualifier	RL	EDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-1	ND		0.010	0.00013	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-2	0.000912	J q	0.010	0.00016	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-3	ND		0.010	0.00018	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-4	ND		0.020	0.0067	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-5	ND		0.010	0.0055	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-6	ND		0.010	0.0049	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-7	ND		0.010	0.0050	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-8	ND		0.020	0.0045	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-9	ND		0.010	0.0051	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-10	ND		0.010	0.0054	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-11	0.00478	J q	0.020	0.0047	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-12	ND	C	0.020	0.0049	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-13	ND	C12	0.020	0.0049	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-14	ND		0.010	0.0042	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-15	ND		0.010	0.0053	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-16	ND		0.010	0.00018	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-17	ND		0.010	0.00016	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-18	ND	C	0.020	0.00014	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-19	ND		0.010	0.00020	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-20	ND	C	0.020	0.00039	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-21	ND	C	0.020	0.00039	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-22	ND		0.010	0.00040	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-23	ND		0.010	0.00040	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-24	ND		0.010	0.00014	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-25	ND		0.010	0.00036	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-26	ND	C	0.020	0.00039	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-27	ND		0.010	0.00012	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-28	ND	C20	0.020	0.00039	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-29	ND	C26	0.020	0.00039	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-30	ND	C18	0.020	0.00014	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-31	ND		0.020	0.00038	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-32	ND		0.010	0.00011	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-33	ND	C21	0.020	0.00039	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-34	ND		0.010	0.00042	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-35	ND		0.010	0.00040	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-36	ND		0.010	0.00039	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-37	ND		0.010	0.00040	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-38	ND		0.010	0.00042	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-39	ND		0.010	0.00038	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-40	ND	C	0.030	0.000094	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-41	ND	C40	0.030	0.000094	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-42	ND		0.010	0.000094	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-43	ND	C	0.020	0.000088	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-44	0.00215	J q C	0.030	0.000083	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-45	ND	C	0.020	0.000099	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-46	ND		0.010	0.00012	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-47	0.00215	J q C44	0.030	0.000083	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-48	ND		0.010	0.000094	ng/g		09/13/18 11:15	09/22/18 16:33	1

TestAmerica Seattle

QC Sample Results

Client: AECOM
Project/Site: Portland Harbor Pre-Remedial Design

TestAmerica Job ID: 580-79669-3

Method: 1668A - Chlorinated Biphenyl Congeners (HRGC/HRMS) (Continued)

Lab Sample ID: MB 140-23571/10-B

Matrix: Solid

Analysis Batch: 23839

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 23571

Analyte	MB Result	MB Qualifier	RL	EDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-49	ND	C	0.020	0.000077	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-50	ND	C	0.020	0.000091	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-51	ND	C45	0.020	0.000099	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-52	ND		0.010	0.000093	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-53	ND	C50	0.020	0.000091	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-54	ND		0.010	0.000020	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-55	ND		0.010	0.000068	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-56	ND		0.010	0.000068	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-57	ND		0.010	0.000069	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-58	ND		0.010	0.000070	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-59	ND	C	0.030	0.000066	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-60	ND		0.010	0.000070	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-61	0.000934	J q C	0.040	0.000065	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-62	ND	C59	0.030	0.000066	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-63	ND		0.010	0.000064	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-64	ND		0.010	0.000063	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-65	0.00215	J q C44	0.030	0.000083	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-66	ND		0.010	0.000065	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-67	ND		0.010	0.000060	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-68	ND		0.010	0.000061	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-69	ND	C49	0.020	0.000077	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-70	0.000934	J q C61	0.040	0.000065	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-71	ND	C40	0.030	0.000094	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-72	ND		0.010	0.000068	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-73	ND	C43	0.020	0.000088	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-74	0.000934	J q C61	0.040	0.000065	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-75	ND	C59	0.030	0.000066	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-76	0.000934	J q C61	0.040	0.000065	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-77	ND		0.010	0.000067	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-78	ND		0.010	0.000070	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-79	ND		0.010	0.000061	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-80	ND		0.010	0.000060	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-81	ND		0.010	0.000063	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-82	ND		0.010	0.000060	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-83	ND	C	0.020	0.000055	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-84	ND		0.010	0.000060	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-85	ND	C	0.030	0.000044	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-86	ND	C	0.060	0.000045	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-87	ND	C86	0.060	0.000045	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-88	ND	C	0.020	0.000054	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-89	ND		0.010	0.000059	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-90	ND	C	0.030	0.000045	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-91	ND	C88	0.020	0.000054	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-92	ND		0.010	0.000051	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-93	ND	C	0.020	0.000052	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-94	ND		0.010	0.000059	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-95	ND		0.010	0.000057	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-96	ND		0.010	0.000044	ng/g		09/13/18 11:15	09/22/18 16:33	1

TestAmerica Seattle

QC Sample Results

Client: AECOM
Project/Site: Portland Harbor Pre-Remedial Design

TestAmerica Job ID: 580-79669-3

Method: 1668A - Chlorinated Biphenyl Congeners (HRGC/HRMS) (Continued)

Lab Sample ID: MB 140-23571/10-B

Matrix: Solid

Analysis Batch: 23839

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 23571

Analyte	MB Result	MB Qualifier	RL	EDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-97	ND	C86	0.060	0.000045	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-98	ND	C	0.020	0.000050	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-99	ND	C83	0.020	0.000055	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-100	ND	C93	0.020	0.000052	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-101	ND	C90	0.030	0.000045	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-102	ND	C98	0.020	0.000050	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-103	ND		0.010	0.000052	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-104	ND		0.010	0.000039	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-105	ND		0.010	0.000016	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-106	ND		0.010	0.000017	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-107	ND		0.010	0.000018	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-108	ND	C	0.020	0.000018	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-109	ND	C86	0.060	0.000045	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-110	ND	C	0.020	0.000038	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-111	ND		0.010	0.000036	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-112	ND		0.010	0.000038	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-113	ND	C90	0.030	0.000045	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-114	ND		0.010	0.000016	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-115	ND	C110	0.020	0.000038	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-116	ND	C85	0.030	0.000044	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-117	ND	C85	0.030	0.000044	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-118	ND		0.010	0.000016	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-119	ND	C86	0.060	0.000045	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-120	ND		0.010	0.000037	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-121	ND		0.010	0.000038	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-122	ND		0.010	0.000020	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-123	ND		0.010	0.000017	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-124	ND	C108	0.020	0.000018	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-125	ND	C86	0.060	0.000045	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-126	ND		0.010	0.000020	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-127	ND		0.010	0.000017	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-128	ND	C	0.020	0.000071	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-129	ND	C	0.040	0.000074	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-130	ND		0.010	0.000097	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-131	ND		0.010	0.000010	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-132	ND		0.010	0.000095	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-133	ND		0.010	0.000092	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-134	ND	C	0.020	0.000096	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-135	ND	C	0.020	0.000030	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-136	ND		0.010	0.000022	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-137	ND		0.010	0.000083	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-138	ND	C129	0.040	0.000074	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-139	ND	C	0.020	0.000082	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-140	ND	C139	0.020	0.000082	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-141	ND		0.010	0.000086	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-142	ND		0.010	0.000091	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-143	ND	C134	0.020	0.000096	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-144	ND		0.010	0.000027	ng/g		09/13/18 11:15	09/22/18 16:33	1

TestAmerica Seattle

QC Sample Results

Client: AECOM
Project/Site: Portland Harbor Pre-Remedial Design

TestAmerica Job ID: 580-79669-3

Method: 1668A - Chlorinated Biphenyl Congeners (HRGC/HRMS) (Continued)

Lab Sample ID: MB 140-23571/10-B

Matrix: Solid

Analysis Batch: 23839

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 23571

Analyte	MB Result	MB Qualifier	RL	EDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-145	ND		0.010	0.000021	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-146	ND		0.010	0.000081	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-147	ND	C	0.020	0.000093	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-148	ND		0.010	0.000029	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-149	ND	C147	0.020	0.000093	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-150	ND		0.010	0.000020	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-151	ND	C135	0.020	0.000030	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-152	ND		0.010	0.000021	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-153	ND	C	0.020	0.000064	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-154	ND		0.010	0.000024	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-155	ND		0.010	0.000020	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-156	ND	C	0.020	0.000080	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-157	ND	C156	0.020	0.000080	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-158	ND		0.010	0.000058	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-159	ND		0.010	0.000061	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-160	ND	C129	0.040	0.000074	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-161	ND		0.010	0.000061	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-162	ND		0.010	0.000060	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-163	ND	C129	0.040	0.000074	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-164	ND		0.010	0.000064	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-165	ND		0.010	0.000069	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-166	ND	C128	0.020	0.000071	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-167	ND		0.010	0.000044	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-168	ND	C153	0.020	0.000064	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-169	ND		0.010	0.000048	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-170	ND		0.010	0.000032	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-171	ND	C	0.020	0.000029	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-172	ND		0.010	0.000029	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-173	ND	C171	0.020	0.000029	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-174	ND		0.010	0.000027	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-175	ND		0.010	0.000027	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-176	ND		0.010	0.000020	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-177	ND		0.010	0.000028	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-178	ND		0.010	0.000029	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-179	ND		0.010	0.000021	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-180	ND	C	0.020	0.000022	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-181	ND		0.010	0.000026	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-182	ND		0.010	0.000026	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-183	ND	C	0.020	0.000026	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-184	ND		0.010	0.000022	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-185	ND	C183	0.020	0.000026	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-186	ND		0.010	0.000021	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-187	ND		0.010	0.000025	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-188	ND		0.010	0.000018	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-189	ND		0.010	0.000040	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-190	ND		0.010	0.000019	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-191	ND		0.010	0.000020	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-192	ND		0.010	0.000022	ng/g		09/13/18 11:15	09/22/18 16:33	1

TestAmerica Seattle

QC Sample Results

Client: AECOM
Project/Site: Portland Harbor Pre-Remedial Design

TestAmerica Job ID: 580-79669-3

Method: 1668A - Chlorinated Biphenyl Congeners (HRGC/HRMS) (Continued)

Lab Sample ID: MB 140-23571/10-B

Matrix: Solid

Analysis Batch: 23839

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 23571

Analyte	MB Result	MB Qualifier	RL	EDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-193	ND	C180	0.020	0.000022	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-194	ND		0.010	0.000048	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-195	ND		0.010	0.000052	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-196	ND		0.010	0.000041	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-197	ND		0.010	0.000031	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-198	ND	C	0.020	0.000042	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-199	ND	C198	0.020	0.000042	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-200	ND		0.010	0.000028	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-201	ND		0.010	0.000029	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-202	ND		0.010	0.000032	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-203	ND		0.010	0.000037	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-204	ND		0.010	0.000031	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-205	ND		0.010	0.000040	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-206	ND		0.010	0.000055	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-207	ND		0.010	0.000040	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-208	ND		0.010	0.000041	ng/g		09/13/18 11:15	09/22/18 16:33	1
PCB-209	ND		0.010	0.000029	ng/g		09/13/18 11:15	09/22/18 16:33	1

Isotope Dilution	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
PCB-1L	57		30 - 140	09/13/18 11:15	09/22/18 16:33	1
PCB-3L	53		30 - 140	09/13/18 11:15	09/22/18 16:33	1
PCB-4L	81		30 - 140	09/13/18 11:15	09/22/18 16:33	1
PCB-15L	80		30 - 140	09/13/18 11:15	09/22/18 16:33	1
PCB-19L	88		30 - 140	09/13/18 11:15	09/22/18 16:33	1
PCB-37L	84		30 - 140	09/13/18 11:15	09/22/18 16:33	1
PCB-54L	106		30 - 140	09/13/18 11:15	09/22/18 16:33	1
PCB-77L	78		30 - 140	09/13/18 11:15	09/22/18 16:33	1
PCB-81L	76		30 - 140	09/13/18 11:15	09/22/18 16:33	1
PCB-104L	89		30 - 140	09/13/18 11:15	09/22/18 16:33	1
PCB-105L	89		30 - 140	09/13/18 11:15	09/22/18 16:33	1
PCB-114L	85		30 - 140	09/13/18 11:15	09/22/18 16:33	1
PCB-118L	85		30 - 140	09/13/18 11:15	09/22/18 16:33	1
PCB-123L	80		30 - 140	09/13/18 11:15	09/22/18 16:33	1
PCB-126L	79		30 - 140	09/13/18 11:15	09/22/18 16:33	1
PCB-155L	113		30 - 140	09/13/18 11:15	09/22/18 16:33	1
PCB-156L	95	C	30 - 140	09/13/18 11:15	09/22/18 16:33	1
PCB-157L	95	C156	30 - 140	09/13/18 11:15	09/22/18 16:33	1
PCB-167L	89		30 - 140	09/13/18 11:15	09/22/18 16:33	1
PCB-169L	93		30 - 140	09/13/18 11:15	09/22/18 16:33	1
PCB-170L	80		30 - 140	09/13/18 11:15	09/22/18 16:33	1
PCB-188L	89		30 - 140	09/13/18 11:15	09/22/18 16:33	1
PCB-189L	76		30 - 140	09/13/18 11:15	09/22/18 16:33	1
PCB-202L	115		30 - 140	09/13/18 11:15	09/22/18 16:33	1
PCB-205L	75		30 - 140	09/13/18 11:15	09/22/18 16:33	1
PCB-206L	98		30 - 140	09/13/18 11:15	09/22/18 16:33	1
PCB-208L	102		30 - 140	09/13/18 11:15	09/22/18 16:33	1
PCB-209L	113		30 - 140	09/13/18 11:15	09/22/18 16:33	1

TestAmerica Seattle

QC Sample Results

Client: AECOM
Project/Site: Portland Harbor Pre-Remedial Design

TestAmerica Job ID: 580-79669-3

Method: 1668A - Chlorinated Biphenyl Congeners (HRGC/HRMS) (Continued)

Lab Sample ID: MB 140-23571/10-B

Matrix: Solid

Analysis Batch: 23839

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 23571

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
PCB-28L	89		40 - 125	09/13/18 11:15	09/22/18 16:33	1
PCB-111L	98		40 - 125	09/13/18 11:15	09/22/18 16:33	1
PCB-178L	93		40 - 125	09/13/18 11:15	09/22/18 16:33	1

Lab Sample ID: LCS 140-23571/11-B

Matrix: Solid

Analysis Batch: 23846

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 23571

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
PCB-1	0.500	0.438		ng/g		88	50 - 150
PCB-3	0.500	0.453		ng/g		91	50 - 150
PCB-4	0.500	0.483		ng/g		97	50 - 150
PCB-15	0.500	0.528		ng/g		106	50 - 150
PCB-19	0.500	0.548		ng/g		110	50 - 150
PCB-37	0.500	0.525		ng/g		105	50 - 150
PCB-54	0.500	0.480		ng/g		96	50 - 150
PCB-77	0.500	0.538		ng/g		108	50 - 150
PCB-81	0.500	0.512		ng/g		102	50 - 150
PCB-104	0.500	0.534		ng/g		107	50 - 150
PCB-105	0.500	0.546		ng/g		109	50 - 150
PCB-114	0.500	0.596		ng/g		119	50 - 150
PCB-118	0.500	0.541		ng/g		108	50 - 150
PCB-123	0.500	0.593		ng/g		119	50 - 150
PCB-126	0.500	0.578		ng/g		116	50 - 150
PCB-155	0.500	0.515		ng/g		103	50 - 150
PCB-156	1.00	1.09	C	ng/g		109	50 - 150
PCB-157	1.00	1.09	C156	ng/g		109	50 - 150
PCB-167	0.500	0.564		ng/g		113	50 - 150
PCB-169	0.500	0.507		ng/g		101	50 - 150
PCB-188	0.500	0.552		ng/g		110	50 - 150
PCB-189	0.500	0.540		ng/g		108	50 - 150
PCB-202	0.500	0.494		ng/g		99	50 - 150
PCB-205	0.500	0.605		ng/g		121	50 - 150
PCB-206	0.500	0.531		ng/g		106	50 - 150
PCB-208	0.500	0.571		ng/g		114	50 - 150
PCB-209	0.500	0.577		ng/g		115	50 - 150

Isotope Dilution	LCS %Recovery	LCS Qualifier	Limits
PCB-1L	73		30 - 140
PCB-3L	68		30 - 140
PCB-4L	85		30 - 140
PCB-15L	80		30 - 140
PCB-19L	96		30 - 140
PCB-37L	89		30 - 140
PCB-54L	111		30 - 140
PCB-77L	85		30 - 140
PCB-81L	86		30 - 140
PCB-104L	87		30 - 140

TestAmerica Seattle

QC Sample Results

Client: AECOM
Project/Site: Portland Harbor Pre-Remedial Design

TestAmerica Job ID: 580-79669-3

Method: 1668A - Chlorinated Biphenyl Congeners (HRGC/HRMS) (Continued)

Lab Sample ID: LCS 140-23571/11-B

Matrix: Solid

Analysis Batch: 23846

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 23571

Isotope Dilution	LCS %Recovery	LCS Qualifier	Limits
PCB-105L	94		30 - 140
PCB-114L	93		30 - 140
PCB-118L	91		30 - 140
PCB-123L	90		30 - 140
PCB-126L	88		30 - 140
PCB-155L	103		30 - 140
PCB-156L	93	C	30 - 140
PCB-157L	93	C156	30 - 140
PCB-167L	91		30 - 140
PCB-169L	96		30 - 140
PCB-170L	87		30 - 140
PCB-188L	92		30 - 140
PCB-189L	84		30 - 140
PCB-202L	108		30 - 140
PCB-205L	79		30 - 140
PCB-206L	91		30 - 140
PCB-208L	88		30 - 140
PCB-209L	93		30 - 140

Surrogate	LCS %Recovery	LCS Qualifier	Limits
PCB-28L	97		40 - 125
PCB-111L	94		40 - 125
PCB-178L	98		40 - 125

Lab Sample ID: LCSD 140-23571/12-B

Matrix: Solid

Analysis Batch: 23846

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 23571

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
PCB-1	0.500	0.436		ng/g		87	50 - 150	0	50
PCB-3	0.500	0.466		ng/g		93	50 - 150	3	50
PCB-4	0.500	0.500		ng/g		100	50 - 150	3	50
PCB-15	0.500	0.550		ng/g		110	50 - 150	4	50
PCB-19	0.500	0.533		ng/g		107	50 - 150	3	50
PCB-37	0.500	0.532		ng/g		106	50 - 150	1	50
PCB-54	0.500	0.494		ng/g		99	50 - 150	3	50
PCB-77	0.500	0.568		ng/g		114	50 - 150	6	50
PCB-81	0.500	0.506		ng/g		101	50 - 150	1	50
PCB-104	0.500	0.557		ng/g		111	50 - 150	4	50
PCB-105	0.500	0.536		ng/g		107	50 - 150	2	50
PCB-114	0.500	0.586		ng/g		117	50 - 150	2	50
PCB-118	0.500	0.560		ng/g		112	50 - 150	4	50
PCB-123	0.500	0.605		ng/g		121	50 - 150	2	50
PCB-126	0.500	0.577		ng/g		115	50 - 150	0	50
PCB-155	0.500	0.529		ng/g		106	50 - 150	3	50
PCB-156	1.00	1.10	C	ng/g		110	50 - 150	1	50
PCB-157	1.00	1.10	C156	ng/g		110	50 - 150	1	50
PCB-167	0.500	0.564		ng/g		113	50 - 150	0	50

TestAmerica Seattle

QC Sample Results

Client: AECOM
Project/Site: Portland Harbor Pre-Remedial Design

TestAmerica Job ID: 580-79669-3

Method: 1668A - Chlorinated Biphenyl Congeners (HRGC/HRMS) (Continued)

Lab Sample ID: LCSD 140-23571/12-B

Matrix: Solid

Analysis Batch: 23846

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 23571

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
PCB-169	0.500	0.522		ng/g		104	50 - 150	3	50
PCB-188	0.500	0.538		ng/g		108	50 - 150	3	50
PCB-189	0.500	0.567		ng/g		113	50 - 150	5	50
PCB-202	0.500	0.511		ng/g		102	50 - 150	3	50
PCB-205	0.500	0.601		ng/g		120	50 - 150	1	50
PCB-206	0.500	0.528		ng/g		106	50 - 150	0	50
PCB-208	0.500	0.541		ng/g		108	50 - 150	5	50
PCB-209	0.500	0.578		ng/g		116	50 - 150	0	50

Isotope Dilution	LCSD %Recovery	LCSD Qualifier	Limits
PCB-1L	68		30 - 140
PCB-3L	67		30 - 140
PCB-4L	83		30 - 140
PCB-15L	82		30 - 140
PCB-19L	95		30 - 140
PCB-37L	90		30 - 140
PCB-54L	104		30 - 140
PCB-77L	81		30 - 140
PCB-81L	83		30 - 140
PCB-104L	81		30 - 140
PCB-105L	93		30 - 140
PCB-114L	94		30 - 140
PCB-118L	90		30 - 140
PCB-123L	88		30 - 140
PCB-126L	87		30 - 140
PCB-155L	98		30 - 140
PCB-156L	90	C	30 - 140
PCB-157L	90	C156	30 - 140
PCB-167L	89		30 - 140
PCB-169L	90		30 - 140
PCB-170L	85		30 - 140
PCB-188L	92		30 - 140
PCB-189L	80		30 - 140
PCB-202L	106		30 - 140
PCB-205L	76		30 - 140
PCB-206L	90		30 - 140
PCB-208L	85		30 - 140
PCB-209L	87		30 - 140

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
PCB-28L	97		40 - 125
PCB-111L	93		40 - 125
PCB-178L	101		40 - 125

TestAmerica Seattle

Lab Chronicle

Client: AECOM
Project/Site: Portland Harbor Pre-Remedial Design

TestAmerica Job ID: 580-79669-3

Client Sample ID: PDI-SG-B437

Date Collected: 08/16/18 12:45

Date Received: 08/17/18 15:30

Lab Sample ID: 580-79669-1

Matrix: Solid

Percent Solids: 54.3

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	HRMS-Sox			23571	09/13/18 11:15	CLI	TAL KNX
Total/NA	Cleanup	Split			23654	09/17/18 06:42	EBS	TAL KNX
Total/NA	Analysis	1668A		1	23846	09/24/18 03:16	LKM	TAL KNX

Client Sample ID: PDI-SG-B437-D

Date Collected: 08/16/18 12:45

Date Received: 08/17/18 15:30

Lab Sample ID: 580-79669-2

Matrix: Solid

Percent Solids: 51.8

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	HRMS-Sox			23571	09/13/18 11:15	CLI	TAL KNX
Total/NA	Cleanup	Split			23654	09/17/18 06:42	EBS	TAL KNX
Total/NA	Analysis	1668A		1	23846	09/24/18 04:18	LKM	TAL KNX

Client Sample ID: PDI-SG-B438

Date Collected: 08/16/18 14:34

Date Received: 08/17/18 15:30

Lab Sample ID: 580-79669-3

Matrix: Solid

Percent Solids: 56.4

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	HRMS-Sox			23571	09/13/18 11:15	CLI	TAL KNX
Total/NA	Cleanup	Split			23654	09/17/18 06:42	EBS	TAL KNX
Total/NA	Analysis	1668A		1	23846	09/24/18 05:19	LKM	TAL KNX

Laboratory References:

TAL KNX = TestAmerica Knoxville, 5815 Middlebrook Pike, Knoxville, TN 37921, TEL (865)291-3000

Accreditation/Certification Summary

Client: AECOM
Project/Site: Portland Harbor Pre-Remedial Design

TestAmerica Job ID: 580-79669-3

Laboratory: TestAmerica Seattle

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	EPA Region	Identification Number	Expiration Date
Alaska (UST)	State Program	10	17-024	01-19-19
ANAB	DoD ELAP		L2236	01-19-19
ANAB	ISO/IEC 17025		L2236	01-19-19
California	State Program	9	2901	11-05-18
Montana (UST)	State Program	8	N/A	04-30-20
Nevada	State Program	9	WA000502019-1	07-31-19
Oregon	NELAP	10	WA100007	11-05-18
US Fish & Wildlife	Federal		LE058448-0	07-31-19
USDA	Federal		P330-14-00126	02-10-20
Washington	State Program	10	C553	02-17-19

Laboratory: TestAmerica Knoxville

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	EPA Region	Identification Number	Expiration Date
	AFCEE		N/A	
ANAB	DoD ELAP		L2311	02-13-19
Arkansas DEQ	State Program	6	88-0688	06-16-19
California	State Program	9	2423	06-30-19
Colorado	State Program	8	TN00009	02-28-19
Connecticut	State Program	1	PH-0223	09-30-19
Florida	NELAP	4	E87177	06-30-19
Georgia	State Program	4	906	04-13-20
Hawaii	State Program	9	N/A	04-13-19
Kansas	NELAP	7	E-10349	10-31-18
Kentucky (DW)	State Program	4	90101	12-31-18
Louisiana	NELAP	6	83979	06-30-19
Louisiana (DW)	NELAP	6	LA160005	12-31-18
Maryland	State Program	3	277	03-31-19
Michigan	State Program	5	9933	04-13-20
Nevada	State Program	9	TN00009	07-31-19
New Jersey	NELAP	2	TN001	06-30-19
New York	NELAP	2	10781	03-31-19
North Carolina (DW)	State Program	4	21705	07-31-19
North Carolina (VW/SW)	State Program	4	64	12-31-18
Ohio VAP	State Program	5	CL0059	08-28-20
Oklahoma	State Program	6	9415	08-31-19
Oregon	NELAP	10	TNI0189	01-01-19
Pennsylvania	NELAP	3	68-00576	12-31-18
Tennessee	State Program	4	2014	04-13-20
Texas	NELAP	6	T104704380-16-9	08-31-19
US Fish & Wildlife	Federal		LE-058448-0	07-31-19
USDA	Federal		P330-16-00262	08-20-19
Utah	NELAP	8	TN00009	07-31-18 *
Virginia	NELAP	3	460176	09-14-19
Washington	State Program	10	C593	01-19-19
West Virginia (DW)	State Program	3	9955C	12-31-18
West Virginia DEP	State Program	3	345	04-30-19
Wisconsin	State Program	5	998044300	08-31-19

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

TestAmerica Seattle

Sample Summary

Client: AECOM

Project/Site: Portland Harbor Pre-Remedial Design

TestAmerica Job ID: 580-79669-3

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
580-79669-1	PDI-SG-B437	Solid	08/16/18 12:45	08/17/18 15:30
580-79669-2	PDI-SG-B437-D	Solid	08/16/18 12:45	08/17/18 15:30
580-79669-3	PDI-SG-B438	Solid	08/16/18 14:34	08/17/18 15:30

1

2

3

4

5

6

7

8

9





10

11

12

[illegible]

Revised
8/21/18

SURFACE SEDIMENT CHAIN OF CUSTODY															
Test America - Seattle 5755 8th Street East Tacoma, WA 98424-1317 Ph: 253-922-2310 Fax: 253-972-5047			Client Contact 1111 3rd Ave Suite 1600 Seattle, WA 98101 Phone: (206) 438-2700 Fax: 1-(866) 495-5288 Project Name: Portland Harbor Pre-Remedial Design Investigation and Baseline Sampling Portland, OR			Project Contact: Amy Dahl / Chelsey Cook Tel: (206) 438-2261 / (206) 438-2010 Analysis Turnaround Time Calendar (C) or Work Days (W) ☐ 21 days ☒ Other ASAP			Site Contact: Jennifer Ray Laboratory Contact: Elaine Walker Carrier: Courier 8/17/2018 COC No: 1 of 3 pages						
Project #: 6056335 Study: Surface Sediment Sample Type: D/U			 580-79669 Chain of Custody												
Sample Identification	Sample Date	Sample Time	Matrix	QC Sample	Sampler's Initials	Total No. of Cont.	Fraction	PCB Congeners 168A	PCDD/Fs 1613B	TPH Diesel, Metals, Mercury NWTPH-DL	Grain size ASTM D7928/D6913	Total organic carbon, Total solids 9060 (104C & 70C)	Archive Archive - 20 C	PAHs, BEHP, Tributyltin, 8270-SIM, 8270-TL, Krow/Linger	Sample Specific Notes:
PDI-SG-B437	8/16/2018	12:45	SS		MM	8		H	H	H	X	H	H	H	
PDI-SG-B437-D	8/16/2018	12:45	SS		MM	6		H	H	H	X	H	H	H	
PDI-SG-B438	8/16/2018	14:34	SS	MSMSD	MM	9		H	H	H	X	H	H	H	
Cancelled Per Action 8/16/18 JLR															
Container Type: WMC=Wide Mouth Glass Jar, P=HDPE, PP=Polypropylene, AG=amber glass, G=glass, RC=Resin Column Preservative: HCl = Hydrochloric Acid, H3PO4 = Phosphoric Acid, HNO3 = Nitric Acid Fraction: D = Dissolved, PRT = Particulate, T = Total (unfiltered)															
Special Instructions/QC Requirements & Comments: Analyze samples for grain size ASAP, Hold (H) remaining analyses pending further instruction. Separate reports for each lab.															
Sample Disposal ☐ Return To Client ☒ Dispose By Lab ☒ Archive For 12 Months															
17															
Relinquished by:  Company: AECOM		Date/Time: 8/17/18 1500		Received by:  Company: M.E.		Date/Time: 8/17/18 1500		Company: M.E.		Date/Time: 8/17/18 1500					
Relinquished by:  Company: M.E.		Date/Time: 8/17/18 1530		Received by:  Company: AECOM		Date/Time: 8/17/18 1530		Company: AECOM		Date/Time: 8/17/18 1530					
Relinquished by:  Company: AECOM		Date/Time: 8/17/18 1800		Received by:  Company: B. Shaw		Date/Time: 8/17/18 1800		Company: B. Shaw		Date/Time: 8/17/18 1800					

TRS = 1.6/1.6 W/C.S.

Chain of Custody Record

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

Client Information (Sub Contract Lab)		Lab PM:	Walker, Elaine M	Carrier Tracking No(s):	580-58323.1					
Client Contact:		Phone:		State of Origin:	Oregon					
Shipping/Receiving		E-Mail: elaine.walker@testamericainc.com		Page:	Page 1 of 1					
Company:		TestAmerica Laboratories, Inc.		Job #:	580-79669-3					
Address:		5815 Middlebrook Pike,		Preservation Codes:						
City:		Knoxville		A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA M - Hexane N - None O - ASNaO2 P - Na2OAS Q - Na2SO3 R - Na2S2O3 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - pH 4-5 Z - other (specify)						
Phone:		865-291-3000(Tel) 865-584-4315(Fax)		Other:						
Email:										
Project Name:		Portland Harbor Pre-Remedial Design								
Site:										
Due Date Requested:		8/23/2018		Analysis Requested						
TAT Requested (days):										
PO #:										
WO #:										
Project #:		58012120								
SSOW#:										
Sample Identification - Client ID (Lab ID)	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, O=other)	Field Filtered Sample (Yes or No)	Bottom MS/MSD (Yes or No)	1668A/1668 P Sox (MOD) 209 PCBs plus Totals	Screen, 1668/Screen PCB P-S (Hold)	Total Number of Containers	Special Instructions/Note:
PDI-SG-B437 (580-79669-1)	8/16/18	12:45 Pacific	Solid		X	X	X	X	1	
PDI-SG-B437-D (580-79669-2)	8/16/18	12:45 Pacific	Solid		X	X	X	X	1	
PDI-SG-B438 (580-79669-3)	8/16/18	14:34 Pacific	Solid		X	X	X	X	1	
580-79669 Chain of Custody										
Note: Since laboratory accreditations are subject to change, TestAmerica Laboratories, Inc. places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/test/matrix being analyzed, the samples must be shipped back to the TestAmerica laboratory or other instructions will be provided. Any changes to accreditation status should be brought to TestAmerica Laboratories, Inc. attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to TestAmerica Laboratories, Inc.										
Possible Hazard Identification										
Unconfirmed										
Deliverable Requested: I, II, III, IV, Other (specify)										
Primary Deliverable Rank: 2										
Special Instructions/QC Requirements:										
Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)										
Return To Client ☐ Disposal By Lab ☐ Archive For ☐ Months										
Empty Kit Relinquished by:										
Relinquished by: <i>[Signature]</i> Date: 8/21/18										
Relinquished by: <i>[Signature]</i> Date: 8/21/18										
Relinquished by: <i>[Signature]</i> Date: 8/21/18										
Custody Seals Intact: ☐ Yes ☐ No										
Custody Seal No.:										
Cooler Temperature(s) °C and Other Remarks:										

Log In Number:

TESTAMERICA KNOXVILLE SAMPLE RECEIPT/CONDITION UPON RECEIPT ANOMALY CHECKLIST

Review Items	Yes	No	NA	If No, what was the problem?	Comments/Actions Taken
1. Are the shipping containers intact?	/			☐ Containers, Broken	CUSTOMY SEALS INTACT RECEIVED AT KT 03/01/04 BKS 8-22-18 COOLING HEAD # 4423 0250 9755 PO
2. Were ambient air containers received intact?			/	☐ Checked in lab	
3. The coolers/containers custody seal if present, is it intact?	/			☐ Yes ☐ NA	
4. Is the cooler temperature within limits? (> freezing temp. of water to 6°C, VOST: 10°C) Thermometer ID : <u>SL68</u> Correction factor: <u>+0.1°C</u>	/			☐ Cooler Out of Temp, Client Contacted, Proceed/Cancel ☐ Cooler Out of Temp, Same Day Receipt	
5. Were all of the sample containers received intact?	/			☐ Containers, Broken	
6. Were samples received in appropriate containers?	/			☐ Containers, Improper; Client Contacted; Proceed/Cancel	
7. Do sample container labels match COC? (IDs, Dates, Times)	/			☐ COC & Samples Do Not Match ☐ COC Incorrect/Incomplete ☐ COC Not Received	
8. Were all of the samples listed on the COC received?	/			☐ Sample Received, Not on COC ☐ Sample on COC, Not Received	
9. Is the date/time of sample collection noted?	/			☐ COC; No Date/Time; Client Contacted	
10. Was the sampler identified on the COC?	/		/	☐ Sampler Not Listed on COC	
11. Is the client and project name/# identified?	/			☐ COC Incorrect/Incomplete	
12. Are tests/parameters listed for each sample?	/			☐ COC No tests on COC	
13. Is the matrix of the samples noted?	/			☐ COC Incorrect/Incomplete	
14. Was COC relinquished? (Signed/Dated/Timed)	/			☐ COC Incorrect/Incomplete	
15. Were samples received within holding time?	/			☐ Holding Time - Receipt	
16. Were samples received with correct chemical preservative (excluding Encore)?			/	☐ pH Adjusted, pH Included (See box 16A) ☐ Incorrect Preservative	
17. Were VOA samples received without headspace?			/	☐ Headspace (VOA only)	
18. Did you check for residual chlorine, if necessary? (e.g. 1613B, 1668) Chlorine test strip lot number:			/	☐ Residual Chlorine	
19. For 1613B water samples is pH<9?			/	☐ If no, lab will adjust	
20. For rad samples was sample activity info. Provided?			/	☐ Project missing info	
Project #: _____ PM Instructions: _____					Box 16A: pH Preservation Box 18A: Residual Chlorine Preservative: _____ Lot Number: _____ Exp Date: _____ Analyst: _____ Date: _____ Time: _____

QA026R30.doc, 080916

Date: 8-22-18

Sample Receiving Associate: *[Signature]*

Login Sample Receipt Checklist

Client: AECOM

Job Number: 580-79669-3

Login Number: 79669

List Source: TestAmerica Seattle

List Number: 1

Creator: O'Connell, Jason I

Question	Answer	Comment
Radioactivity wasn't checked or is $\leq$ background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Isotope Dilution Summary

Client: AECOM
Project/Site: Portland Harbor Pre-Remedial Design

TestAmerica Job ID: 580-79669-3

Method: 1668A - Chlorinated Biphenyl Congeners (HRGC/HRMS)

Matrix: Solid

Prep Type: Total/NA

Percent Isotope Dilution Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	PCB1L (30-140)	PCB3L (30-140)	PCB4L (30-140)	PCB15L (30-140)	PCB19L (30-140)	PCB37L (30-140)	PCB54L (30-140)	PCB77L (30-140)
580-79669-1	PDI-SG-B437	65	66	85	88	96	101	106	91
580-79669-2	PDI-SG-B437-D	63	65	82	83	90	93	106	90
580-79669-3	PDI-SG-B438	64	65	80	82	91	88	105	86
LCS 140-23571/11-B	Lab Control Sample	73	68	85	80	96	89	111	85
LCSD 140-23571/12-B	Lab Control Sample Dup	68	67	83	82	95	90	104	81
MB 140-23571/10-B	Method Blank	57	53	81	80	88	84	106	78

Percent Isotope Dilution Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	PCB81L (30-140)	PCB104L (30-140)	PCB105L (30-140)	P114L (30-140)	PCB118L (30-140)	PCB123L (30-140)	PCB126L (30-140)	PCB155L (30-140)
580-79669-1	PDI-SG-B437	93	86	98	98	98	97	91	101
580-79669-2	PDI-SG-B437-D	89	82	93	92	92	93	84	96
580-79669-3	PDI-SG-B438	85	80	89	89	85	84	83	95
LCS 140-23571/11-B	Lab Control Sample	86	87	94	93	91	90	88	103
LCSD 140-23571/12-B	Lab Control Sample Dup	83	81	93	94	90	88	87	98
MB 140-23571/10-B	Method Blank	76	89	89	85	85	80	79	113

Percent Isotope Dilution Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	PCB156L (30-140)	PCB157L (30-140)	PCB167L (30-140)	PCB169L (30-140)	PCB170L (30-140)	PCB188L (30-140)	PCB189L (30-140)	PCB202L (30-140)
580-79669-1	PDI-SG-B437	86 C	86 C156	91	90	89	106	90	119
580-79669-2	PDI-SG-B437-D	80 C	80 C156	88	84	83	101	86	113
580-79669-3	PDI-SG-B438	80 C	80 C156	87	88	84	92	81	109
LCS 140-23571/11-B	Lab Control Sample	93 C	93 C156	91	96	87	92	84	108
LCSD 140-23571/12-B	Lab Control Sample Dup	90 C	90 C156	89	90	85	92	80	106
MB 140-23571/10-B	Method Blank	95 C	95 C156	89	93	80	89	76	115

Percent Isotope Dilution Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	PCB205L (30-140)	PCB206L (30-140)	PCB208L (30-140)	PCB209L (30-140)
580-79669-1	PDI-SG-B437	75	85	97	84
580-79669-2	PDI-SG-B437-D	74	83	92	81
580-79669-3	PDI-SG-B438	73	91	95	88
LCS 140-23571/11-B	Lab Control Sample	79	91	88	93
LCSD 140-23571/12-B	Lab Control Sample Dup	76	90	85	87
MB 140-23571/10-B	Method Blank	75	98	102	113

Surrogate Legend

PCB1L = PCB-1L
PCB3L = PCB-3L
PCB4L = PCB-4L
PCB15L = PCB-15L
PCB19L = PCB-19L
PCB37L = PCB-37L
PCB54L = PCB-54L
PCB77L = PCB-77L
PCB81L = PCB-81L
PCB104L = PCB-104L
PCB105L = PCB-105L
P114L = PCB-114L
PCB118L = PCB-118L
PCB123L = PCB-123L

TestAmerica Seattle

Isotope Dilution Summary

Client: AECOM

Project/Site: Portland Harbor Pre-Remedial Design

TestAmerica Job ID: 580-79669-3

PCB126L = PCB-126L
PCB155L = PCB-155L
PCB156L = PCB-156L
PCB157L = PCB-157L
PCB167L = PCB-167L
PCB169L = PCB-169L
PCB170L = PCB-170L
PCB188L = PCB-188L
PCB189L = PCB-189L
PCB202L = PCB-202L
PCB205L = PCB-205L
PCB206L = PCB-206L
PCB208L = PCB-208L
PCB209L = PCB-209L

1

2

3

4

5

6

7

8

9

10

11

12