

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Seattle
5755 8th Street East
Tacoma, WA 98424
Tel: (253)922-2310

TestAmerica Job ID: 580-80529-1
Client Project/Site: 60566335

For:
AECOM
1111 Third Ave
Suite 1600
Seattle, Washington 98101

Attn: Amy Dahl

M. Elaine Walker

Authorized for release by:
10/2/2018 5:33:37 PM

Elaine Walker, Project Manager II
(253)248-4972
elaine.walker@testamericainc.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:
www.testamericainc.com

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11



Table of Contents

Cover Page	1
Table of Contents	2
Case Narrative	3
Definitions	4
Client Sample Results	5
QC Sample Results	9
Chronicle	10
Certification Summary	11
Sample Summary	12
Chain of Custody	13
Receipt Checklists	14

Case Narrative

Client: AECOM
Project/Site: 60566335

TestAmerica Job ID: 580-80529-1

Job ID: 580-80529-1

Laboratory: TestAmerica Seattle

Narrative

CASE NARRATIVE
Client: AECOM
Project: 60566335
Report Number: 580-80529-1

This case narrative is in the form of an exception report, where only the anomalies related to this report, method specific performance and/or QA/QC issues are discussed. If there are no issues to report, this narrative will include a statement that documents that there are no relevant data issues.

It should be noted that samples with elevated Reporting Limits (RLs) resulting from a dilution may not be able to satisfy customer reporting limits in some cases. Such increases in the RLs are an unavoidable but acceptable consequence of sample dilution that enables quantification of target analytes within the calibration range of the instrument or that reduces the interferences thereby enabling the quantification of target analytes.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT

Three samples were received on 9/21/2018 9:30 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 0.6° C.

Note: All samples which require thermal preservation are considered acceptable if the arrival temperature is within 2C of the required temperature or method specified range. For samples with a specified temperature of 4C, samples with a temperature ranging from just above freezing temperature of water to 6C shall be acceptable. Samples that are hand delivered immediately following collection may not meet these criteria, however they will be deemed acceptable according to NELAC standards, if there is evidence that the chilling process has begun, such as arrival on ice, etc.

ANIONS

Samples Br_Test_Baseline (580-80529-1), Br_Test_1 (580-80529-2), Br_Test_2 (580-80529-3) and Br_Test_3 (580-80529-4) were analyzed for anions in accordance with EPA Method 300.0. The samples were analyzed on 09/28/2018 and 09/29/2018.

Samples Br_Test_Baseline (580-80529-1)[10X], Br_Test_1 (580-80529-2)[10X], Br_Test_2 (580-80529-3)[10X] and Br_Test_3 (580-80529-4)[10X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Definitions/Glossary

Client: AECOM
Project/Site: 60566335

TestAmerica Job ID: 580-80529-1

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Client Sample Results

Client: AECOM
Project/Site: 60566335

TestAmerica Job ID: 580-80529-1

Client Sample ID: Br_Test_Baseline

Lab Sample ID: 580-80529-1

Date Collected: 09/20/18 10:30

Matrix: Water

Date Received: 09/21/18 09:30

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Bromide	100		10	2.5	mg/L			09/28/18 12:16	10

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11

Client Sample Results

Client: AECOM
Project/Site: 60566335

TestAmerica Job ID: 580-80529-1

Client Sample ID: Br_Test_1
Date Collected: 09/20/18 10:30
Date Received: 09/21/18 09:30

Lab Sample ID: 580-80529-2
Matrix: Water

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Bromide	99		10	2.5	mg/L			09/28/18 12:27	10

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11

Client Sample Results

Client: AECOM
Project/Site: 60566335

TestAmerica Job ID: 580-80529-1

Client Sample ID: Br_Test_2
Date Collected: 09/20/18 10:30
Date Received: 09/21/18 09:30

Lab Sample ID: 580-80529-3
Matrix: Water

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Bromide	100		10	2.5	mg/L			09/29/18 20:48	10

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11

Client Sample Results

Client: AECOM
Project/Site: 60566335

TestAmerica Job ID: 580-80529-1

Client Sample ID: Br_Test_3
Date Collected: 09/20/18 10:30
Date Received: 09/21/18 09:30

Lab Sample ID: 580-80529-4
Matrix: Water

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Bromide	100		10	2.5	mg/L			09/29/18 20:59	10

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11

QC Sample Results

Client: AECOM
Project/Site: 60566335

TestAmerica Job ID: 580-80529-1

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 580-285112/3
Matrix: Water
Analysis Batch: 285112

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Bromide	ND		1.0	0.25	mg/L			09/27/18 10:38	1

Lab Sample ID: LCS 580-285112/4
Matrix: Water
Analysis Batch: 285112

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Bromide	10.0	10.1		mg/L		101	90 - 110

Lab Sample ID: LCSD 580-285112/5
Matrix: Water
Analysis Batch: 285112

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Bromide	10.0	10.1		mg/L		101	90 - 110	0	15

Lab Sample ID: MB 580-285343/3
Matrix: Water
Analysis Batch: 285343

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Bromide	ND		1.0	0.25	mg/L			09/29/18 13:00	1

Lab Sample ID: LCS 580-285343/4
Matrix: Water
Analysis Batch: 285343

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Bromide	10.0	9.89		mg/L		99	90 - 110

Lab Sample ID: LCSD 580-285343/5
Matrix: Water
Analysis Batch: 285343

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Bromide	10.0	9.89		mg/L		99	90 - 110	0	15

Lab Chronicle

Client: AECOM
Project/Site: 60566335

TestAmerica Job ID: 580-80529-1

Client Sample ID: Br_Test_Baseline

Date Collected: 09/20/18 10:30

Date Received: 09/21/18 09:30

Lab Sample ID: 580-80529-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		10	285112	09/28/18 12:16	EMM	TAL SEA

Client Sample ID: Br_Test_1

Date Collected: 09/20/18 10:30

Date Received: 09/21/18 09:30

Lab Sample ID: 580-80529-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		10	285112	09/28/18 12:27	EMM	TAL SEA

Client Sample ID: Br_Test_2

Date Collected: 09/20/18 10:30

Date Received: 09/21/18 09:30

Lab Sample ID: 580-80529-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		10	285343	09/29/18 20:48	EMM	TAL SEA

Client Sample ID: Br_Test_3

Date Collected: 09/20/18 10:30

Date Received: 09/21/18 09:30

Lab Sample ID: 580-80529-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		10	285343	09/29/18 20:59	EMM	TAL SEA

Laboratory References:

TAL SEA = TestAmerica Seattle, 5755 8th Street East, Tacoma, WA 98424, TEL (253)922-2310

Accreditation/Certification Summary

Client: AECOM
Project/Site: 60566335

TestAmerica Job ID: 580-80529-1

Laboratory: TestAmerica Seattle

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	EPA Region	Identification Number	Expiration Date
Alaska (UST)	State Program	10	17-024	01-19-19
ANAB	DoD ELAP		L2236	01-19-19
ANAB	ISO/IEC 17025		L2236	01-19-19
California	State Program	9	2901	11-05-18
Montana (UST)	State Program	8	N/A	04-30-20
Nevada	State Program	9	WA000502019-1	07-31-19
Oregon	NELAP	10	WA100007	11-05-18
US Fish & Wildlife	Federal		LE058448-0	07-31-19
USDA	Federal		P330-14-00126	02-10-20
Washington	State Program	10	C553	02-17-19

Sample Summary

Client: AECOM
Project/Site: 60566335

TestAmerica Job ID: 580-80529-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
580-80529-1	Br_Test_Baseline	Water	09/20/18 10:30	09/21/18 09:30
580-80529-2	Br_Test_1	Water	09/20/18 10:30	09/21/18 09:30
580-80529-3	Br_Test_2	Water	09/20/18 10:30	09/21/18 09:30
580-80529-4	Br_Test_3	Water	09/20/18 10:30	09/21/18 09:30

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11

Login Sample Receipt Checklist

Client: AECOM

Job Number: 580-80529-1

Login Number: 80529

List Number: 1

Creator: Hobbs, Kenneth F

List Source: TestAmerica Seattle

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	